Geophysical journal international subject index by volume 108–111

Aftershocks

Geometry, segmentation and stress regime of the Spitak (Armenia) earthquake from the analysis of the aftershock sequence (Dorbath, L., Dorbath, C., Rivera, L., Fuenzalida, A., Cisternas, A., Tatevossian, R., Aptekman. J., Arefiev, S.), **108,** 309
Aftershocks of shallow earthquakes near Kamchatka Peninsula (Zobin, V.M., Ivanova, E.I.), **108,** 749
Spatial distribution of earthquakes in aftershock zones of the Garm region, Soviet Central Asia (Eneva, M., Hamburger, M.W., Popandopulo, G.A.), **109,** 38
Aftershock identification: methods and new approaches (Molchan, G.M., Dmitrieva, O.E.), **109,** 501
Considerations on the global seismic sequences: the second and the third largest aftershocks (Tsapanos, T.M.), **111,** 630

Alps

Thermochronometry and cooling rates deduced from single sample records of successive magnetic polarities during uplift of metamorphic rocks in the Alps (France) (Rochette, P., Ménard, G., Dunn, R.), **108,** 491
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213

Anisotropy

Geometrical theory of shear-wave splitting: corrections to ray theory for interference in isotropic/anisotropic transitions (Thomson, C.J., Kendall, J-M., Guest, W.S.), **108,** 339
Ray-theory Green's function reciprocity and ray-centred coordinates in anisotropic media (Kendall, J-M., Guest, W.S., Thomson, C.J.), **108,** 364
Displacements and rays for splitting *S*-waves: perturbation theory and the failure of the ray method (Guest, W.S., Thomson, C.J., Kendall, J-M.), **108,** 372
The detection of lateral anisotropy of the ocean floor by electromagnetic methods (Yu, L., Edwards, R.N.), **108,** 433
A search for split *SKS* waveforms in the North Atlantic (Kuo, B-Y., Forsyth, D.W.), **108,** 557
Kinematic inversion for *qP*- and *qS*- waves in inhomogeneous hexagonally symmetric structures (Jech, J., Pšenčík, I.), **108,** 604
Initial shear wave particle motions and stress constraints at the Anza Seismic Network (Aster, R.C., Shearer, P.M.), **108,** 740
Traveltime tomography in anisotropic media—I. Theory (Chapman, C.H., Pratt, R.G.), **109,** 1
Traveltime tomography in anisotropic media—II. Application (Pratt, R.G., Chapman, C.H.), **109,** 20
A quantitative study of seismic anisotropy in the Yamato Basin, the southeastern Japan Sea, from refraction data collected by an ocean bottom seismographic array (Chung, T.W.), **109,** 620
Results of a sea-floor electromagnetic survey over a sedimented hydrothermal area on the Juan de Fuca Ridge (Nobes, D.C., Law, L.K., Edwards, R.N.), **110,** 333
A detailed analysis of microearthquakes in western Crete from digital three-component seismograms (de Chabalier, J.B., Lyon-Caen, H., Zollo, A., Deschamps, A., Bernard, P., Hatzfield, D.), **110,** 347
Anisotropy and coupled free oscillations: simplified models and surface wave observations (Park, J., Yu, Y.), **110,** 401
Particle motion and the modelling of strain response in magnetic fabrics (Richter, C.), **110,** 451
Controlled-source tensor magnetotelluric responses of a layered earth with azimuthal anisotropy (Li, X., Pedersen, L.B.), **111,** 91
Seismogram synthesis for azimuthally anisotropic media with a single slowness integration (Nolte, B., Frazer, L.N., Mallick, S.), **111,** 127
A model of lower crustal electrical anisotropy for the Pontiac Subprovince of the Canadian Shield (Kellet, R.L., Mareschal, M., Kurtz, R.D.), **111,** 141
Algorithms for the computation of the electromagnetic response of a multilayered, laterally anisotropic sea floor to arbitrary finite sources (Yu, L., Edwards, R.N.), **111,** 185
A source of significant transverse arrivals from an isotropic–anisotropic interface, e.g. the Moho (Guest, W.S., Thompson, C.J.), **111,** 309
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433
Magnetic anisotropy as a correction for compaction-caused palaeomagnetic inclination shallowing (Kodama, K.P., Sun, W.W.), **111,** 465

APW (apparent polar wander)

A new Devonian palaeomagnetic pole for the Russian platform and Baltica, and related apparent polar wander (Smethurst, M.A., Khramov, A.N.), **108,** 179
Stratigraphic implications of palaeomagnetic data from Honduras (Gose, W.A., Finch, R.C.), **108,** 855
Early Devonian (pre-Acadian) magnetization in Lower Old Red Sandstone of south Wales (UK) (Channell, J.E.T., McCabe, C., Woodcock, N.H.), **108,** 883

Attenuation

Q for short-period *P*-waves: is it frequency dependent? (Douglas, A.), **108,** 110
Seismic wave dispersion and attenuation in Åheim dunite: an experimental study (Jackson, I., Paterson, M.S., Fitz Gerald, J.D.), **108,** 517
Separation of scattering and intrinsic attenuation for the Kanto–Tokai region, Japan, using measurements of *S*-wave energy versus hypocentral distance (Fehler, M., Hoshiba, M., Sato, H., Obara, K.), **108,** 787
Acoustic attenuation in oceanic gabbro (Goldberg, D., Badri, M., Wepfer, W.), **111,** 193
1–18 Hz *Lg* attenuation in the Granada Basin (southern Spain) (De Miguel, F., Ibàñez, J.M., Alguacil, G., Canas, J.A., Vidal, F., Morales, J., Peña, J.A., Posadas, A.M., Luzón, F.), **111,** 270
Continuous seismic threshold monitoring (Ringdal, F., Kværna, T.), **111,** 505

Audiomagnetotellurics

Time-frequency analysis of magnetotelluric data (Chant, I.J., Hastie, L.M.), **111,** 399

***b*-values**

Damage mechanics with long-range interactions: correlation between the seismic *b*-value and the fractal two-point correlation dimension (Main, I.G.), **111,** 531
Spatial and temporal variations of Fennoscandian seismicity (Skordas, E., Kulhánek, O.), **111,** 577

Body waves

Seismic body waves in a 3-D, slightly aspherical Earth—I: testing the Born approximation (Cummins, P.R.), **109,** 391
Topography of the 400km discontinuity from obseravtions of long-period $P_{400}P$ phases (Neele, F., Sneider, R.), **109,** 670
Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448
Toroidal oscillations and *SH* body waves of an aspherical Earth (Mochizuki, E.), **111,** 497

Canada

A model of lower crustal electrical anisotropy for the Pontiac Subprovince of the Canadian Shield (Kellet, R.L., Mareschal, M., Kurtz, R.D.), **111,** 141

Chandler wobble

Polar motion, atmospheric angular momentum excitation and earthquakes—correlations and significance (Preisig, J.R), **108,** 161

Continental deformation

Flexure of the continental lithosphere with multilayered rheology (Burov, E.B., Diament, M.), **109,** 449
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433

Convection

Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus (Kiefer, W.S., Hager, B.H.), **108,** 198
On convection in the earth's core driven by lateral temperature variations in the lower mantle (Zhang, K., Gubbins, D.), **108,** 247
Models of convection-driven tectonic plates: a comparison of methods and results (King, S.D., Gable, C.W., Weinstein, S.A.), **109,** 481
Short-wavelength geoid, bathymetry and the convective pattern beneath the Pacific Ocean (Fleitout, L., Moriceau, C.), **110,** 6
Thermal convection with non-Newtonian plates (Weinstein, S.A., Olson, P.L.), **111,** 515

Core–mantle boundary

Taking into account truncation problems and geomagnetic model accuracy in assessing computed flows at the core–mantle boundary (Hulot, G., Le Mouël, J.L., Wahr, J.), **108,** 224
The times and amplitudes of core phases for a variable core–mantle boundary layer (Rekdal, T., Doornbos, D.J.), **108,** 546
Intensity of the Earth's magnetic field since Precambrian from Thellier-type palaeointensity data and inferences on the thermal history of the core (Prévot, M., Perrin, M.), **108,** 613
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R., Zürn, W., Masters, G.), **111,** 226

Cracks

Seismic wave dispersion and attenuation in Åheim dunite: an experimental study (Jackson, I., Paterson, M.S., Fitz Gerald, J.D.), **108,** 517
Initial shear wave particle motions and stress constraints at the Anza Seismic Network (Aster, R.C., Shearer, P.M.), **108,** 740
Damage mechanics with long-range interactions: correlation between the seismic *b*-value and the fractal two-point correlation dimension (Main, I.G.), **111,** 531

Crustal structure

Seismic traveltime inversion for 2-D crustal velocity structure (Zelt, C.A., Smith, R.B.), **108,** 16
Seismogenic structures activated during the 1987 seismic sequences along the Adriatic coast (Console, R., Di Giovambattista, R., Favali, P., Smriglio, G.), **108,** 379
A study of two mid-crustal bright spots from southeast Georgia (USA) (Barnes, A.E., Reston, T.J.), **108,** 683
A seismic refraction investigation of the Archaean Kaapvaal Craton, South Africa, using mine tremors as the energy source (Durrheim, R.J., Green, R.W.E.), **108,** 812
High electrical conductivity in a model lower crust with unconnected, conductive, seismically reflective layers (Merzer, A.M., Klemperer, S.L.), **108,** 895
The ocean–continent boundary off the western continental margin of Iberia—II. Crustal structure in the Tagus Abyssal Plain (Pinheiro, L.M., Whitmarsh, R.B., Miles, P.R.), **109,** 106
LISPB revisited: a new look under the Caledonides of northern Britain (Barton, P.J.), **110,** 371
Crustal structure of the west Bengal basin, India from deep seismic sounding investigations (Kaila, K.L., Reddy, P.R., Mall, D.M., Venkateswarlu, N., Krishna, V.G., Prasad, A.S.S.S.R.S.), **111,** 45
Geodetic determination of crustal deformation across the Strait of Gibraltar (Reilly, W.I., Fredrich, G., Hein, G.W., Landau, H., Almazán J.L., Caturla, J.L.), **111,** 391
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Deep seismic reflection

Two-ship deep seismic soundings in the basins of the Eastern Mediterranean Sea (Pasiphae cruise) (de Voogd, B., Truffert, C., Chamot-Rooke, N., Huchon, P., Lallemant, S., Le Pichon, X.), **109,** 536
Geophysical support for aqueous fluids in the deep crust: seismic and electrical relationships (Marquis, G., Hyndman, R.D.), **110,** 91
Crustal structure of the west Bengal basin, India from deep seismic sounding investigations (Kaila, K.L., Reddy, P.R., Mall, D.M., Venkateswarlu, N., Krishna, V.G., Prasad, A.S.S.S.R.S.), **111,** 45
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213

Deformation

Deformation of an incompressible viscoelastic flat earth with power-law creep: a finite element approach (Wu, P.), **108,** 35
Viscoelastic versus viscous deformation and the advection of pre-stress (Wu, P.), **108,** 136
Static deformation of a uniform half-space due to a long dip–slip fault (Rani, S., Singh, S.J.), **109,** 469
Palaeomagnetic dating of fault rocks: evidence for Permian and Mesozoic movements and brittle deformation along the extensional Dalsfjord Fault (Torsvik, T.H., Sturt, B.A., Swensson, E., Andersen, T.B., Dewey, J.F.), **109,** 565
Geodetic determination of crustal deformation across the Strait of Gibraltar (Reilly, W.I., Fredrich, G., Hein, G.W., Landau, H., Almazán, J.L., Caturla, J.L.), **111,** 391
A formulation for reliable estimation of active crustal deformation and its application to central Greece (Papazachos, C.B., Kiratzi, A.A.), **111,** 424
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433
Damage mechanics with long-range interactions: correlation between the seismic *b*-value and the fractal two-point correlation dimension (Main, I.G.), **111,** 531

Diapir

Diapirism and topography (Poliakov, A., Podladchikov, Y.), **109,** 553

Diffraction

Diffraction and seismic tomography (Doornbos, D.J.), **108,** 256
Physical and numerical model study of diffraction effects on seismic profiles over simple structures (Pant, D.R., Greenhalgh, S.A., Zhou, B.), **108,** 906
Post-stack diffraction-type migration of the signal component of the wavefield (Katz, S., Henyey, T.), **109,** 517

Earthquake statistics

An example of seismic occurrence modelling by a several-state random process (Bottari, A., Caccamo, D., Neri, G.), **108,** 267

Earthquakes

Polar motion, atmospheric angular momentum excitation and earthquakes—correlations and significance (Preisig, J.R.), **108,** 161
Geometry, segmentation and stress regime of the Spitak (Armenia) earthquake from the analysis of the aftershock sequence (Dorbath, L., Dorbath, C., Rivera, L., Fuenzalida, A., Cisternas, A., Tatevossian, R., Aptekman, J., Arefiev, S.), **108,** 309
The 1971 May 12 Burdur earthquake sequence, SW Turkey: a synthesis of seismological and geological observations (Taymaz, T., Price, S.), **108,** 589
Aftershocks of shallow earthquakes near Kamchatka Peninsula (Zobin, V.M., Ivanova, E.I.), **108,** 749
Deep-crustal earthquakes in the southern Baltic Shield (Arvidsson, R., Wahlström,R., Kulhánek, O.), **108,** 767
Locating oceanic earthquakes—the influence of regional models and location criteria (Kennett, B.L.N.), **108,** 848
Interplay of fault dynamics and fractal dimension in determining Gutenberg & Richter's *b*-value (Lomnitz-Adler, J.), **108,** 941
Spatial distribution of earthquakes in aftershock zones of the Garm region, Soviet Central Asia (Eneva, M., Hamburger, M.W., Popandopulo, G.A.), **109,** 38
On tidal triggering of earthquakes at Campi Flegrei, Italy (Rydelek, P.A., Sacks, I.S., Scarpa, R.), **109,** 125
The rupture process of the Armenian earthquake from broad-band teleseismic body wave records (Haessler, H., Deschamps, A., Dufumier, H., Fuenzalida, H., Cisternas, A.), **109,** 151
Rupture process of the Ito–Oki, Japan, earthquake of 1989 July 9 and interpretation as a trigger of volcanic eruption (Oura, A., Yoshida, S., Kudo, K.), **109,** 241
Tomographic study of local earthquake data from the Lake Bogoria region of the Kenya Rift Valley (Tongue, J.A.), **109,** 249
Revised hypocentre and fault rupture geometry for the 1980 November 23 Campania–Basilicata earthquake in southern Italy (Westaway, R.), **109,** 376
On the lines of the direction of *S*-waves (Gershanik, S.), **110,** 1
The Armenian earthquake of 1988 December 7: faulting and folding, neotectonics and palaeoseismicity (Philip, H., Rogozhin, E., Cisternas, A., Bousquet, J.C., Borisov, B., Karakhanian, A.), **110,** 141
Northern Chile earthquake of 1980 May 26: evidence of unilateral fracture (Douglas, A., Sheehan, A.F., Stewart, R.C.), **110,** 201
New method of estimating regional stress orientations: application to focal mechanism data of recent British earthquakes (Lisle, R.J.), **110,** 276
Correlations of earthquake focal mechanisms (Kagan, Y.Y.), **110,** 305
Seismic quiescence: a test of the hypothesis and a precursor to the next Parkfield, California, earthquake (Wyss, M., Habermann, R.E., Bodin, P.), **110,** 518
Evaluating the statistical validity beyond chance of 'VAN' earthquake precursors (Mulargia, F., Gasperini, P.), **111,** 32
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R., Zürn, W., Masters, G.), **111,** 226
A cellular-automata, slider-block model for earthquakes—I. Demonstration of chaotic behaviour for a low-order system (Narkounskaia, G., Turcotte, D.L.), **111,** 250
A cellular-automata, slider-block model for earthquakes—II. Demonstration of self-organized criticality for a 2-D system (Huang, J., Narkounskaia, G., Turcotte, D.L.), **111,** 259
Continuous seismic threshold monitoring (Ringdal, F., Kværna, T.), **111,** 505
Spatial and temporal variations of Fennoscandian seismicity (Skordas, E., Kulhánek, O.), **111,** 577
Deep and intermediate-depth non-double couple earthquakes: interpretation of moment tensor inversions using various passbands of very broad-band seismic data (Kuge, K., Kawakatsu, H.), **111,** 589
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Earth's core

Taking into account truncation problems and geomagnetic model accuracy in assessing computed flows at the core–mantle boundary (Hulot, G., Le Mouël, J.L., Wahr, J.), **108,** 224
On convection in the earth's core driven by lateral temperature variations in the lower mantle (Zhang, K., Gubbins, D.), **108,** 247
Numerical calculation of modes of oscillation of the Earth's core (Smylie, D.E., Jiang, X., Brennan, B.J., Sato, K.), **108,** 465
The subseismic approximation in core dynamics (Crossley, D.J., Rochester, M.G.), **108,** 502
The times and amplitudes of core phases for a variable core–mantle boundary layer (Rekdal, T., Doornbos, D.J.), **108,** 546
Intensity of the Earth's magnetic field since Precambrian from Thellier-type palaeointensity data and inferences on the thermal history of the core (Prévot, M., Perrin, M.), **108,** 613
Some remarks about the rotations of a viscous planet and its homogeneous liquid core: linear theory (Lefftz, M., Legros, H.), **108,** 705
Influence of viscoelastic coupling on the axial rotation of the Earth and its fluid core (Lefftz, M., Legros, H.), **108,** 725
Observably split multiplets—data analysis and interpretation in terms of large-scale aspherical structure (Widmer, R., Masters, G., Gilbert, F.), **111,** 559

Earth's rotation

Effect of melting glaciers on the earth's rotation and gravitational field: 1965–1984 (Trupin, A.S., Meier, M.F., Wahr, J.M.), **108,** 1
Correspondence between theory and observations of polar motion (Gross, R.S.), **109,** 162

Elastic wave theory

Elastic waves scattering and radiation by fractal inhomogeneity of a medium (Shapiro, S.A.), **110,** 591

Electrical conductivity

Adjustment distance in TM mode electromagnetic induction (Weaver, J.T., Dawson, T.W.), **108,** 293
The detection of lateral anisotropy of the ocean floor by electromagnetic methods (Yu, L., Edwards, R.N.), **108,** 433
The magnetotelluric phase over 2-D structures (Fischer, G., Szarka, L., Adam, A., Weaver, J.T.), **108,** 778
Near-surface distortion effects on controlled source magnetotelluric transfer functions (Qian, W., Pedersen, L.B.), **108,** 833
High electrical conductivity in a model lower crust with unconnected, conductive, seismically reflective layers (Merzer, A.M., Klemperer, S.L.), **108,** 895

The electrical conductivity of the oceanic upper mantle (Heinson, G., Constable, S.), **110,** 159
A 3-D perturbation solution for the EM induction problem in a spherical earth—the forward problem (Zhang, T.S., Schultz, A.), **111,** 319

Electrical resistivity

Geophysical support for aqueous fluids in the deep crust: seismic and electrical relationships (Marquis, G., Hyndman, R.D.), **110,** 91

Electromagnetic induction

Global induction and the spatial structure of mid-latitude geomagnetic variations (Banks, R.J., Ainsworth, J.N.), **110,** 251

Electromagnetic methods

The detection of lateral anisotropy of the ocean floor by electromagnetic methods (Yu, L., Edwards, R.N.), **108,** 433
Algorithms for the computation of the electromagnetic response of a multilayered, laterally anisotropic sea floor to arbitrary finite sources (Yu, L., Edwards, R.N.), **111,** 185
Using a causal dispersion relation to estimate phase from magnitude for controlled-source electromagnetic field measurements (Qian, W., Boerner, D. E.), **111,** 203

Electromagnetic surveys

Magnetic susceptibility and viscosity of soils in a weak time varying field (Dabas, M., Jolivet, A., Tabbagh, A.), **108,** 101
Results of a sea-floor electromagnetic survey over a sedimented hydrothermal area on the Juan de Fuca Ridge (Nobes, D.C., Law, L.K., Edwards, R.N.), **110,** 333

Electromagnetism

A method of physical approximation of the electromagnetic field (Frenkel, M.A., Katsevich, A.I.), **110,** 421

Europe

A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results (Nolte, H.J., Hahn, A.), **111,** 483

Explosion seismology

Seismic yield determination of Soviet underground nuclear explosions at the Shagan River test site (Ringdal, F., Marshall, P.D., Alewine, R.W.), **109,** 65
Near-source characterization of the seismic wavefield radiated from quarry blasts (Reamer, S.K., Hinzen, K-G., Stump, B.W.), **110,** 435
Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291

Fault models

A cellular-automata, slider-block model for earthquakes—I. Demonstration of chaotic behaviour for a low-order system (Narkounskaia, G., Turcotte, D.L.), **111,** 250
A cellular-automata, slider-block model for earthquakes—II. Demonstration of self-organized criticality for a 2-D system (Huang, J., Narkounskaia, G., Turcotte, D.L.), **111,** 259
3-D subsurface displacement and strain fields for faults and fault arrays in a layered elastic half-space (Ma, X.Q., Kusznir, N.J.), **111,** 542

Fault slip

The influence of the lithospheric thickness on bilateral slip (Johnson, E.), **108,** 151
Geodetic data inversion using a Bayesian information criterion for spatial distribution of fault slip (Yabuki, T., Matsu'ura, M.), **109,** 363
Static deformation of a uniform half-space due to a long dip–slip fault (Rani, S., Singh, S.J.), **109,** 469
3-D subsurface displacement and strain fields for faults and fault arrays in a layered elastic half-space (Ma, X.Q., Kusznir, N.J.), **111,** 542
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Fault-plane solutions

Correlations of earthquake focal mechanisms (Kagan, Y.Y.), **110,** 305
Rupture geometry from high-precision relative hypocentre locations of microearthquake clusters (Deichmann, N., Garcia-Fernandez, M.), **110,** 501
A formulation for reliable estimation of active crustal deformation and its application to central Greece (Papazachos, C.B., Kiratzi, A.A.), **111,** 424

Faulting

The 1971 May 12 Burdur earthquake sequence, SW Turkey: a synthesis of seismological and geological observations (Taymaz, T., Price, S.), **108,** 589
The Armenian earthquake of 1988 December 7: faulting and folding, neotectonics and palaeoseismicity (Philip, H., Rogozhin, E., Cisternas, A., Bousquet, J.C., Borisov, B., Karakhanian, A.), **110,** 141

Finite difference methods

Finite-difference simulation of *P–SV*-wave propagation: a displacement-potential approach (Cao, S., Greenhalgh, S.), **109,** 525
Polarization properties of near-field waves in homogeneous isotropic and anisotropic media: numerical modelling (Vavryčuk, V.), **110,** 180

Fluid dynamics

Taking into account truncation problems and geomagnetic model accuracy in assessing computed flows at the core–mantle boundary (Hulot, G., Le Mouël, J.L., Wahr, J.), **108,** 224
Effect of temperature and fluid viscosity on the ultrasonic velocities in Lavoux calcite rock (Vo-Thanh, D.), **110,** 614

Fourier transforms

Reflector imaging (Fokkema, J.T., van den Berg, P.M.), **110,** 191

Fractals

Elastic waves scattering and radiation by fractal inhomogeneity of a medium (Shapiro, S.A.), **110,** 591
Damage mechanics with long-range interactions: correlation between the seismic *b*-value and the fractal two-point correlation dimension (Main, I.G.), **111,** 531

Fractures

Northern Chile earthquake of 1980 May 26: evidence of unilateral fracture (Douglas, A., Sheehan, A.F., Stewart, R.C.), **110,** 201

France

Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process (Maillol, J.M., Evans, M.E.), **111,** 281

Free oscillations

Upper mantle structure from long-period differential traveltimes and free oscillation data (Woodward, R.L., Masters, G.), **109,** 275
Anisotropy and coupled free oscillations: simplified models and surface wave observations (Park, J., Yu, Y.), **110,** 401
Toroidal oscillations and SH body waves of an aspherical Earth (Mochizuki, E.), **111,** 497
Normal mode multiplet coupling on an aspherical anelastic earth (Um, J., Dahlen, F.A.), **111,** 11
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R., Zürn, W., Masters, G.), **111,** 226
Observably split multiplets—data analysis and interpretation in terms of large-scale aspherical structure (Widmer, R., Masters, G., Gilbert, F.), **111,** 559

Gaussian beam method

Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448

Geodesy

Spectral analysis of the full gravity tensor (Rummel, R., van Gelderen, M.), **111,** 159
The value of minimum norm estimation of geopotential fields (Xu, P.), **111,** 170
Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view (Herzfeld, U.C.), **111,** 237
Geodetic determination of crustal deformation across the Strait of Gibraltar (Reilly, W.I., Fredrich, G., Hein, G.W., Landau, H., Almazán, J.L., Caturla, J.L.), **111,** 391

Geoid

A spectral analysis of geoid undulation and gravity anomaly data computed with Pratt's isostasy theory applied to Moho depth variations in Fennoscandia (Nord, T., Sjöberg, L.E.), **111,** 179

Geoid anomalies

Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus (Kiefer, W.S., Hager, B.H.), **108,** 198
The dynamics of thin shells with variable viscosity and the origin of toroidal flow in the mantle (Ribe, N.M.), **110,** 537

Geomagnetic field

Geomagnetic disturbance fields: an analysis of observatory monthly means (Stewart, D.N., Whaler, K.A.), **108,** 215
Taking into account truncation problems and geomagnetic model accuracy in assessing computed flows at the core–mantle boundary (Hulot, G., Le Mouël, J.L., Wahr, J.), **108,** 224
On convection in the earth's core driven by lateral temperature variations in the lower mantle (Zhang, K., Gubbins, D.), **108,** 247
Minimax confidence intervals in geomagnetism (Stark, P.B.), **108,** 329

Geomagnetism

Intensity of the Earth's magnetic field since Precambrian from Thellier-type palaeointensity data and inferences on the thermal history of the core (Prévot, M., Perrin, M.), **108,** 613
A study of rocket measurements of ionospheric currents—I. General setting and night-time ionospheric currents (Onwumechili, C.A.), **108,** 633
A study of rocket measurements of ionospheric currents—II. Ionospheric currents outside the dip equatorial zone (Onwumechili, C.A.), **108,** 641
A study of rocket measurements of ionospheric currents—III. Ionospheric currents at the magnetic dip equator (Onwumechili, C.A.), **108,** 647
A study of rocket measurements of ionospheric currents—IV. Ionospheric currents in the transition zone and the overview of the study (Onwumechili, C.A.), **108,** 660
A study of rocket measurements of ionospheric currents—V. Modelling rocket profiles of low-latitude ionospheric currents (Onwumechili, C.A.), **108,** 673
A confirmation of the validity of the electric current distribution determined by a ground-based magnetometer network (Akasofu, S.-I.), **109,** 191
Global induction and the spatial structure of mid-latitude geomagnetic variations (Banks, R.J., Ainsworth, J.N.), **110,** 251
The annual variation of the night-time values of the geomagnetic field (Butcher, E.C., Schlapp, D.M.), **111,** 151
Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process (Maillol, J.M., Evans, M.E.), **111,** 281
Magnetospheric contribution to *K*-indices (Papitashvili, N.E., Papitashvili, V.O., Belov, B.A., Hakkinen L., Sucksdorff, C.), **111,** 348
A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results (Nolte, H.J., Hahn, A.), **111,** 483

Geostatistics

Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view (Herzfeld, U.C.), **111,** 237

Gibraltar

Geodetic determination of crustal deformation across the Strait of Gibraltar (Reilly, W.I., Fredrich, G., Hein, G.W., Landau, H., Almazán, J.L., Caturla, J.L.), **111,** 391

Glacial rebound

Deformation of an incompressible viscoelastic flat earth with power-law creep: a finite element approach (Wu, P.), **108,** 35
Viscoelastic versus viscous deformation and the advection of pre-stress (Wu, P.), **108,** 136
Effects on post-glacial rebound from the hard rheology in the transition zone (Spada, G., Sabadini, R., Yuen, D.A., Ricard, Y.), **109,** 683

Gravity

Effect of melting glaciers on the Earth's rotation and gravitational field: 1965–1984 (Trupin, A.S., Meier, M.F., Wahr, J.M.), **108,** 1
Improving Eötvös corrections by wide-band noise Kalman filtering (Bashirov, A.E., Eppelbaum, L.V., Mishné, L.R.), **108,** 193
An ephemeris for gravity tide predictions at the nanogal level (Merriam, J.B.), **108,** 415
Antarctic marine gravity field from high-density satellite altimetry (Sandwell, D.T.), **109,** 437

Atmospheric pressure and gravity (Merriam, J.B.), **109,** 488
Spectral analysis of the full gravity tensor (Rummel, R., van Gelderen, M.), **111,** 159

Gravity anomalies

An investigation of the depth of excavation and thickness of basalt fill for the lunar mascon basins (Mullis, A.M.), **109,** 233
Determination of surface gravity anomalies using gradiometric observables (Xu, P.), **110,** 321
A spectral analysis of geoid undulation and gravity anomaly data computed with Pratt's isostasy theory applied to Moho depth variations in Fennoscandia (Nord, T., Sjöberg, L.E.), **111,** 179
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213
Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view (Herzfeld, U.C.), **111,** 237
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Greece

A formulation for reliable estimation of active crustal deformation and its application to central Greece (Papazachos, C.B., Kiratzi, A.A.), **111,** 424

Heat flow

The resolution of past heat flow in sedimentary basins from non-linear inversion of geochemical data: the smoothest model approach, with synthetic examples (Gallagher, K., Sambridge, M.), **109,** 78
Thermal effects of marine sedimentation in hydrothermally active areas (Wang, K., Davis, E.E.), **110,** 70
Considerations on the global seismic sequences: the second and the third largest aftershocks (Tsapanos, T.M.), **111,** 630

Hotspots

Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus (Kiefer, W.S., Hager, B.H.), **108,** 198

Igneous rock

Directional properties of alteration CRM in basic igneous rocks (Walderhaug, H.), **111,** 335

India

Crustal structure of the west Bengal basin, India from deep seismic sounding investigations (Kaila, K.L., Reddy, P.R., Mall, D.M., Venkateswarlu, N., Krishna, V.G., Prasad, A.S.S.S.R.S.), **111,** 45

Indian Ocean

Acoustic attenuation in oceanic gabbro (Goldberg, D., Badri, M., Wepfer, W.), **111,** 193

Instrumentation

An angular accelerometer for reducing the effects of tilt in seismic records (Mat-Isa, A.R., Usher, M.J.), **109,** 197

Integral transforms

Reflector imaging (Fokkema, J.T., van den Berg, P.M.), **110,** 191

Inverse problem

Approximate inverse mappings in DC resistivity problems (Li, Y., Oldenburg, D.W.), **109,** 343
Reflector imaging (Fokkema, J.T., van den Berg, P.M.), **110,** 191
Determination of surface gravity anomalies using gradiometric observables (Xu, P.), **110,** 321
Generalized seismological data functionals (Gee, L.S., Jordan, T.H.), **111,** 363

Inversion

Seismic traveltime inversion for 2-D crustal velocity structure (Zelt, C.A., Smith, R.B.), **108,** 16
Deep structure of the Iberian Peninsula determined by Rayleigh wave velocity inversion (Badal, J., Corchete, V., Payo, G., Serón, F.J., Canas, J.A., Pujades, L.), **108,** 71
Observations on source time functions of earthquakes obtained from inversion of teleseismic body waveforms (Taymaz, T.), **108,** 273
Rapid sampling of model space using genetic algorithms: examples from seismic waveform inversion (Sen, M.K., Stoffa, P.L.), **108,** 281
A comparison of methods for the inversion of viscoelastic relaxation spectra (Mitrovica, J.X., Peltier, W.R.), **108,** 410
Inversion of synthetic aperture radar data for surface scattering (Won, J.S., Moon, W.M.), **108,** 423
Model formulation and model smoothing for 2-D magnetotelluric inversion (Zhang, A.J., Hobbs, B.A.), **108,** 507
Two-dimensional asymtotic iterative elastic inversion (Jin, S., Madariaga, R., Virieux, J., Lambaré, G.), **108,** 575
Kinematic inversion for *qP*- and *qS*- waves in inhomogeneous hexagonally symmetric structures (Jech, J., Pšenčík, I.), **108,** 604
Iterative most-squares inversion: application to magnetotelluric data (Meju, M.A., Hutton, V.R.S.), **108,** 758
Spectra of mantle shear wave velocity structure (Davies, J.H., Gudmundsson, O., Clayton, R.W.), **108,** 865
Inversion of long-offset TEM soundings near the borehole Münsterland 1, Germany, and comparision with MT measurements (Hördt, A., Jödicke, H., Strack, K.-M., Vozoff, K., Wolfgram, P.A.), **108,** 930
The resolution of past heat flow in sedimentary basins from non-linear inversion of geochemical data: the smoothest model approach, with synthetic examples (Gallagher, K., Sambridge, M.), **109,** 78
Rupture process of the Ito–Oki, Japan, earthquake of 1989 July 9 and interpretation as a trigger of volcanic eruption (Oura, A., Yoshida, S., Kudo, K.), **109,** 241
Tomographic study of local earthquake data from the Lake Bogoria region of the Kenya Rift Valley (Tongue, J.A.), **109,** 249
Genetic algorithms in seismic waveform inversion (Sambridge, M., Drijkoningen, G.), **109,** 323
Approximate inverse mappings in DC resistivity problems (Li, Y., Oldenburg, D.W.), **109,** 343
Geodetic data inversion using a Bayesian information criterion for spatial distribution of fault slip (Yabuki, T., Matsu'ura, M.), **109,** 363
Formal inversion of laterally heterogeneous velocity structure from *P*-wave polarization data (Hu, G., Menke, W.), **110,** 63
The electrical conductivity of the oceanic upper mantle (Heinson, G., Constable, S.), **110,** 159
New method of estimating regional stress orientations: application to focal mechanism data of recent British earthquakes (Lisle, R.J.), **110,** 276
2-D inversion of MT data with a variable model geometry (Marcuello-Pascual, A., Kaikkonen, P., Pous, J.), **110,** 297
2-D full-wavefield inversion for wide-aperture, elastic, seismic data (Sun, R., McMechan, G.A.), **111,** 1
Acoustic attenuation in oceanic gabbro (Goldberg, D., Badri, M., Wepfer, W.), **111,** 193
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R, Zürn, W., Masters, G.,), **111,** 226

Ionosphere

A study of rocket measurements of ionospheric currents—I.

General setting and night-time ionospheric currents (Onwumechili, C.A.), **108,** 633
A study of rocket measurements of ionospheric currents—II. Ionospheric currents outside the dip equatorial zone (Onwumechili, C.A.), **108,** 641
A study of rocket measurements of ionospheric currents—III. Ionospheric currents at the magnetic dip equator (Onwumechili, C.A.), **108,** 647
A study of rocket measurements of ionospheric currents—IV. Ionospheric currents in the transition zone and the overview of the study (Onwumechili, C.A.), **108,** 660
A study of rocket measurements of ionospheric currents—V. Modelling rocket profiles of low-latitude ionospheric currents (Onwumechili, C.A.), **108,** 673
A confirmation of the validity of the electric current distribution determined by a ground-based magnetometer network (Akasofu, S.-I.), **109,** 191

Isostasy

A comparison of methods for the inversion of viscoelastic relaxation spectra (Mitrovica, J.X., Peltier, W.R.), **108,** 410
A spectral analysis of geoid undulation and gravity anomaly data computed with Pratt's isostasy theory applied to Moho depth variations in Fennoscandia (Nord, T., Sjöberg, L.E.), **111,** 179

Italy

Seismogenic structures activated during the 1987 seismic sequences along the Adriatic coast (Console, R., Di Giovambattista, R., Favali, P., Smriglio, G.), **108,** 379

Japan

Separation of scattering and intrinsic attenuation for the Kanto–Tokai region, Japan, using measurements of *S*-wave energy versus hypocentral distance (Fehler, M., Hoshiba, M., Sato, H., Obara, K.), **108,** 787
A quantitative study of seismic anisotropy in the Yamato Basin, the southeastern Japan Sea, from refraction data collected by an ocean bottom seismographic array (Chung, T.W.), **109,** 620
Subducting oceanic crusts of the Philippine Sea and Pacific plates and weak-zone-normal compression in the Kanto district, Japan (Hurukawa, N., Imoto, M.), **109,** 639
Deep and intermediate-depth non-double couple earthquakes: interpretation of moment tensor inversions using various passbands of very broad-band seismic data (Kuge, K., Kawakatsu, H.), **111,** 589
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Lateral heterogeneity

Variational principles for surface wave propagation on a laterally heterogeneous Earth—I. Time domain JWKB theory (Tromp, J., Dahlen, F.A.), **109,** 581
Variational principles for surface wave propagation on a laterally heterogeneous Earth—II. Frequency-domain JWKB theory (Tromp, J., Dahlen, F.A.), **109,** 599
Topography of the 400km discontinuity from obseravtions of long-period $P_{400}P$ phases (Neele, F., Sneider, R.), **109,** 670
Formal inversion of laterally heterogeneous velocity structure from *P*-wave polarization data (Hu, G., Menke, W.), **110,** 63
Anisotropy and coupled free oscillations: simplified models and surface wave observations (Park, J., Yu, Y.), **110,** 401
Modelling of laterally trapped surface waves with application to Rayleigh waves in the Hawaiian swell (Maupin, V.), **110,** 553
Normal mode multiplet coupling on an aspherical anelastic earth (Um, J., Dahlen, F.A.), **111,** 11
Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448

Layered media

Controlled-source tensor magnetotelluric responses of a layered earth with azimuthal anisotropy (Li, X., Pedersen, L.B.), **111,** 91

Lithosphere

The influence of the lithospheric thickness on bilateral slip (Johnson, E.), **108,** 151

Lithospheric deformation

Flexure of the continental lithosphere with multilayered rheology (Burov, E.B., Diament, M.), **109,** 449

Magnetic anomalies

King's Trough: reactivated pseudo-fault of a propagating rift (Srivastava, S.P., Roest, W.R.), **108,** 143
Determining palaeomagnetic poles and anomalous skewness from marine magnetic anomaly skewness data from a single plate (Petronotis, K.E., Gordon, R.G., Acton, G.D.), **109,** 209
The seafloor spreading rate dependence of the anomalous skewness of marine magnetic anomalies (Roest, W.R., Arkani-Hamed, J., Verhoef, J.), **109,** 653
Magnetic anomaly lineations from Late Jurassic to Early Cretaceous in the west-central Pacific Ocean (Nakanishi, M., Tamaki, K., Kobayashi, K.), **109,** 701
Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view (Herzfeld, U.C.), **111,** 237
A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results (Nolte, H.J., Hahn, A.), **111,** 483

Magnetic susceptibility

Deep structure of the Iberian Peninsula determined by Rayleigh wave velocity (Badal, J., Corchete, V., Payo, G., Serón, F.J., Canas, J.A., Pujades, L.), **108,** 71
Magnetic susceptibility and viscosity of soils in a weak time varying field (Dabas, M., Jolivet, A., Tabbagh, A.), **108,** 101
Particle motion and the modelling of strain response in magnetic fabrics (Richter, C.), **110,** 451

Magnetite

A numerical simulation of magnetostatic coagulation in a fluid (Fukuma, K.), **111,** 357
Magnetic force microscopy imaging of domain walls in magnetite (Williams, W., Hoffmann, V., Heider, F., Göddenhenrich, T., Heiden, C.), **111,** 417
Magnetic anisotropy as a correction for compaction-caused palaeomagnetic inclination shallowing (Kodama, K.P., Sun, W.W.), **111,** 465

Magnetization

Magnetic susceptibility and viscosity of soils in a weak time varying field (Dabas, M., Jolivet, A., Tabbagh, A.), **108,** 101
Thermochronometry and cooling rates deduced from single sample records of successive magnetic polarities during uplift of metamorphic rocks in the Alps (France) (Rochette, P., Ménard, G., Dunn, R.), **108,** 491
Early Devonian (pre-Acadian) magnetization in Lower Old Red Sandstone of south Wales (UK) (Channell, J.E.T., McCabe, C., Woodcock, N.H.), **108,** 883
Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process (Maillol, J.M., Evans, M.E.), **111,** 281

A 3-D perturbation solution for the EM induction problem in a spherical earth—the forward problem (Zhang, T.S., Schultz, A.), **111,** 319
A numerical simulation of magnetostatic coagulation in a fluid (Fukuma, K.), **111,** 357
Magnetic force microscopy imaging of domain walls in magnetite (Williams, W., Hoffmann, V., Heider, F. Göddenhenrich, T., Heiden, C.), **111,** 417
Magnetic anisotropy as a correction for compaction-caused palaeomagnetic inclination shallowing (Kodama, K.P., Sun, W.W.), **111,** 465
A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results (Nolte, H.J., Hahn, A.), **111,** 483

Magnetotellurics

Adjustment distance in TM mode electromagnetic induction (Weaver, J.T., Dawson, T.W.), **108,** 293
Model formulation and model smoothing for 2-D magnetotelluric inversion (Zhang, A.J., Hobbs, B.A.), **108,** 507
Iterative most-squares inversion: application to magnetotelluric data (Meju, M.A., Hutton, V.R.S.), **108,** 758
The magnetotelluric phase over 2-D structures (Fischer, G., Szarka, L., Adam, A., Weaver, J.T.), **108,** 778
Near-surface distortion effects on controlled source magnetotelluric transfer functions (Qian, W., Pedersen, L.B.), **108,** 833
A simple technique for analysing and partly removing galvanic distortion from the magnetotelluric impedance tensor: application to Abitibi and Kapuskasing data (Canada) (Chakridi, R., Chouteau, M., Mareschal, M.), **108,** 917
Inversion of long-offset TEM soundings near the borehole Münsterland 1, Germany, and comparision with MT measurements (Hördt, A., Jödicke, H., Strack, K.-M., Vozoff, K., Wolfgram, P.A.), **108,** 930
The electrical conductivity of the oceanic upper mantle (Heinson, G., Constable, S.), **110,** 159
2-D inversion of MT data with a variable model geometry (Marcuello-Pascual, A., Kaikkonen, P., Pous, J.), **110,** 297
Controlled-source tensor magnetotelluric responses of a layered earth with azimuthal anisotropy (Li, X., Pedersen, L.B.), **111,** 91
A model of lower crustal electrical anisotropy for the Pontiac Subprovince of the Canadian Shield (Kellet, R.L., Mareschal, M., Kurtz, R.D.), **111,** 141
Time-frequency analysis of magnetotelluric data (Chant, I.J., Hastie, L.M.), **111,** 399

Magsat

A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results (Nolte, H.J., Hahn, A.), **111,** 483

Mantle

Deformation of an incompressible viscoelatic flat earth with power-law creep: a finite element approach (Wu, P.), **108,** 35
Viscoelastic versus viscous deformation and the advection of pre-stress (Wu, P.), **108,** 136
Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus (Kiefer, W.S., Hager, B.H.), **108,** 198
A search for split *SKS* waveforms in the North Atlantic (Kuo, B-Y., Forsyth, D.W.), **108,** 557
Spectra of mantle shear wave velocity structure (Davies, J.H., Gudmundsson, O., Clayton, R.W.), **108,** 865
The dynamics of thin shells with variable viscosity and the origin of toroidal flow in the mantle (Ribe, N.M.), **110,** 537
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R., Zürn, W., Masters, G.), **111,** 226
A 3-D perturbation solution for the EM induction problem in a spherical earth—the forward problem (Zhang, T.S., Schultz, A.), **111,** 319
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433
Thermal convection with non-Newtonian plates (Weinstein, S.A., Olson, P.L.), **111,** 515

Marine sediments

Thermal effects of marine sedimentation in hydrothermally active areas (Wang, K., Davis, E.E.), **110,** 70

Mediterranean

Two-ship deep seismic soundings in the basins of the Eastern Mediterranean Sea (Pasiphae cruise) (de Voogd, B., Truffert, C., Chamot-Rooke, N., Huchon, P., Lallemant, S., Le Pichon, X.), **109,** 536
Modern tectonic stress field in the Mediterranean region: evidence for variation in stress directions at different scales (Rebaï, S., Philip, H., Taboada, A.), **110,** 106

Microearthquakes

An example of seismic occurrence modelling by a several-state random process (Bottari, A., Caccamo, D., Neri, G.), **108,** 267
A detailed analysis of microearthquakes in western Crete from digital three-component seismograms (de Chabalier, J.B., Lyon-Caen, H., Zollo, A., Deschamps, A., Bernard, P., Hatzfield, D.), **110,** 347
Rupture geometry from high-precision relative hypocentre locations of microearthquake clusters (Deichmann, N., Garcia-Fernandez, M.), **110,** 501

Mineralogy

Magnetic mineralogy of Chinese loess and its significance (Liu, X., Shaw, J., Liu, T., Heller, F., Yuan, B.), **108,** 301

Moho reflection

A source of significant transverse arrivals from an isotropic–anisotropic interface, e.g. the Moho (Guest, W.S., Thompson, C.J.), **111,** 309

Moon

Tidal deceleration of the moon's mean motion (Cheng, M.K., Eanes, R.J., Tapley, B.D.), **108,** 401
An investigation of the depth of excavation and thickness of basalt fill for the lunar mascon basins (Mullis, A.M.), **109,** 233

New Zealand

Observations of very high *P*-velocities in the subducted slab, New Zealand, and their relation with the slab geometry (Galea, P.), **110,** 238

Normal modes

Normal mode multiplet coupling on an aspherical anelastic earth (Um, J., Dahlen, F.A.), **111,** 11

North America

Palaeomagnetism of the Pico Formation, Santa Paula Creek, Ventura Basin, California (Liddicoat, J.C.), **110,** 267

Norway

Palaeomagnetic dating of fault rocks: evidence for Permian and Mesozoic movements and brittle deformation along the extensional Dalsfjord Fault (Torsvik, T.H., Sturt, B.A., Swensson, E., Andersen, T.B., Dewey, J.F.), **109,** 565
Shear waves from three-component ocean bottom seismographs off Lofoten, Norway, indicative of anisotropy in the lower crust (Mjelde, R.), **110,** 283

Oceanic crust

Subducting oceanic crusts of the Philippine Sea and Pacific plates and weak-zone-normal compression in the Kanto district, Japan (Hurukawa, N., Imoto, M.), **109,** 639

Oxidation

Directional properties of alteration CRM in basic igneous rocks (Walderhaug, H.), **111,** 335

Pacific Ocean

Magnetic anomaly lineations from Late Jurassic to Early Cretaceous in the west-central Pacific Ocean (Nakanishi, M., Tamaki, K., Kobayashi, K.), **109,** 701
Short-wavelength geoid, bathymetry and the convective pattern beneath the Pacific Ocean (Fleitout, L., Moriceau, C.), **110,** 6
Thermal effects of marine sedimentation in hydrothermally active areas (Wang, K., Davis, E.E.), **110,** 70

Palaeomagnetism

A high southerly palaeolatitude for Southern Britain in Early Ordovician times: palaeomagnetic data from the Treffgarne Volcanic Formation SW Wales (Trench, A., Torsvik, T.H., Dentith, M.C., Walderhaug, H., Traynor, J.-J.), **108,** 89
A new Devonian palaeomagnetic pole for the Russian platform and Baltica, and related apparent polar wander (Sethurst, M.A., Khramov, A.N.), **108,** 179
Mono Lake Excursion in Mono Basin, California, and at Carson Sink and Pyramid Lake, Nevada (Liddicoat, J.C.), **108,** 442
Olduvai termination: detailed palaeomagnetic analysis of a north central Pacific core (Herrero-Bervera, E., Khan, M.A.), **108,** 535
Intensity of the Earth's magnetic field since Precambrian from Thellier-type palaeointensity data and inferences on the thermal history of the core (Prévot, M., Perrin, M.), **108,** 613
Bayesian approach to smoothing palaeomagnetic data using ABIC (Tsunakawa, H.), **108,** 801
Stratigraphic implications of palaeomagnetic data from Honduras (Gose, W.A., Finch, R.C.), **108,** 855
Early Devonian (pre-Acadian) magnetization in Lower Old Red Sandstone of south Wales (UK) (Channell, J.E.T., McCabe, C., Woodcock, N.H.), **108,** 883
Determining palaeomagnetic poles and anomalous skewness from marine magnetic anomaly skewness data from a single plate (Petronotis, K.E., Gordon, R.G., Acton, G.D.), **109,** 209
Palaeomagnetic dating of fault rocks: evidence for Permian and Mesozoic movements and brittle deformation along the extensional Dalsfjord Fault (Torsvik, T.H., Sturt, B.A., Swensson, E., Andersen, T.B., Dewey, J.F.), **109,** 565
A method to study alterations of magnetic minerals during thermal demagnetization applied to a fine-grained marine marl (Trubi formation, Sicily) (van Velzen, A.J., Zijderveld, J.D.A.), **110,** 79
Clockwise and anticlockwise rotation of Viti Levu, Fiji—in relation to the tectonic development of the North and the South Fiji Basin (Inokuchi, H., Yaskawa, K., Rodda, P.), **110,** 225
Palaeomagnetism of the Pico Formation, Santa Paula Creek, Ventura Basin, California (Liddicoat, J.C.), **110,** 267
Directional properties of alteration CRM in basic igneous rocks (Walderhaug, H.), **111,** 335

Perturbation methods

Bending method revisited: a Hamiltonian approach (Farra, V.), **109,** 138
Ray perturbation theory for traveltimes and ray paths in 3-D heterogeneous media (Snieder, R., Sambridge, M.), **109,** 294
Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process (Maillol, J.M., Evans, M.E.), **111,** 281
A 3-D perturbation solution for the EM induction problem in a spherical earth—the forward problem (Zhang, T.S., Schultz, A.), **111,** 319
Toroidal oscillations and *SH* body waves of an aspherical Earth (Mochizuki, E.), **111,** 497

Petrography

Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process (Maillol, J.M., Evans, M.E.), **111,** 281

Plate tectonics

Models of convection-driven tectonic plates: a comparison of methods and results (King, S.D., Gable, C.W., Weinstein, S.A.), **109,** 481
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433

Polarization

Displacements and rays for splitting *S*-waves: perturbation theory and the failure of the ray method (Guest, W.S., Thomson, C.J., Kendall, J-M.), **108,** 372
Formal inversion of laterally heterogeneous velocity structure from *P*-wave polarization data (Hu, G., Menke, W.), **110,** 63
Polarization properties of near-field waves in homogeneous isotropic and anisotropic media: numerical modelling (Vavryčuk, V.), **110,** 180

Porosity

Ultrasonic compressional and shear velocities in dry clastic rocks as a function of porosity, clay content, and confining pressure (Freund, D.), **108,** 125
Geophysical support for aqueous fluids in the deep crust: seismic and electrical relationships (Marquis, G., Hyndman, R.D.), **110,** 91

Ray theory

Geometrical theory of shear-wave splitting: corrections to ray theory for interference in isotropic/anisotropic transitions (Thomson, C.J., Kendall, J-M., Guest, W.S.), **108,** 339
Ray-theory Green's function reciprocity and ray-centred coordinates in anisotropic media (Kendall, J-M., Guest, W.S., Thomson, C.J.), **108,** 364
Displacements and rays for splitting *S*-waves: perturbation theory and the failure of the ray method (Guest, W.S., Thomson, C.J., Kendall, J-M.), **108,** 372

Ray tracing

Seismic traveltime inversion for 2-D crustal velocity structure (Zelt, C.A., Smith, R.B.), **108,** 16
Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448

Rayleigh waves

Rayleigh waves in isotropic viscoelastic media (Carcione, J.M.), **108,** 453
Modelling of laterally trapped surface waves with application to Rayleigh waves in the Hawaiian swell (Maupin, V.), **110,** 553
Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291

Refraction seismology

Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291

Remanent magnetization

Olduvai termination: detailed palaeomagnetic analysis of a north central Pacific core (Herrero-Bervera, E., Khan, M.A.), **108,** 535
Directional properties of alteration CRM in basic igneous rocks (Walderhaug, H.), **111,** 335
A numerical simulation of magnetostatic coagulation in a fluid (Fukuma, K.), **111,** 357

Rheology

Flexure of the continental lithosphere with multilayered rheology (Burov, E.B., Diament, M.), **109,** 449
Effects on post-glacial rebound from the hard rheology in the transition zone (Spada, G., Sabadini, R., Yuen, D.A., Ricard, Y.), **109,** 683

Rock magnetism

Magnetic mineralogy of Chinese loess and its significance (Liu, X., Shaw, J., Liu, T., Heller, F., Yuan, B.), **108,** 301
Directional properties of alteration CRM in basic igneous rocks (Walderhaug, H.), **111,** 335

Rupture propagation

The rupture process of the Armenian earthquake from broad-band teleseismic body wave records (Haessler, H., Deschamps, A., Dufumier, H., Fuenzalida, H., Cisternas, A.), **109,** 151

San Andreas fault

Seismic quiescence: a test of the hypothesis and a precursor to the next Parkfield, California, earthquake (Wyss, M., Habermann, R.E., Bodin, P.), **110,** 518

Scattering

Multiple scattering of surface waves from concrete obstacles (Bostock, M.G., Kennett, B.L.N.), **108,** 52
Inversion of synthetic aperture radar data for surface scattering (Won, J.S., Moon, W.M.), **108,** 423
Separation of scattering and intrinsic attenuation for the Kanto–Tokai region, Japan, using measurements of *S*-wave energy versus hypocentral distance (Fehler, M., Hoshiba, M., Sato, H., Obara, K.), **108,** 787
Reflection and transmission of surface waves in laterally varying media (Bostock, M.G.), **109,** 411
Seismic-wave traveltimes in random media (Müller, G., Roth, M., Korn, M.), **110,** 29
A numerical investigation of scattering effects for teleseismic plane wave propagation in a heterogeneous layer over a homogeneous half-space (Wagner, G.S., Langston, C.A.), **110,** 486
Propagation of surface waves on a laterally heterogeneous earth: asymptotic solution of the two-dimensional wave equation (Pollitz, F.F.), **111,** 67
1–18 Hz *Lg* attenuation in the Granada Basin (southern Spain) (Miguel, F. De., Ibáñez, J.M., Alguacil, G., Canas, J.A., Vidal, F., Morales, J., Peña, J.A., Posadas, A.M., Luzón, F.), **111,** 270

Sea-floor spreading

The seafloor spreading rate dependence of the anomalous skewness of marine magnetic anomalies (Roest, W.R., Arkani-Hamed, J., Verhoef, J.), **109,** 653

Sea-level

A comparison of late Holocene and twentieth-century sea-level trends from the UK and North Sea region (Shennan, I., Woodworth, P.L.), **109,** 96
A quality investigation of global vertical datum connection (Xu, P.), **110,** 361
Trends in UK extreme sea-levels: a spatial approach (Dixon, M.J., Tawn, J.A.), **111,** 607

Sedimentary basins

The resolution of past heat flow in sedimentary basins from non-linear inversion of geochemical data: the smoothest model approach, with synthetic examples (Gallagher, K., Sambridge, M.), **109,** 78
A mathematical model for compaction in sedimentary basins (Audet, D.M., Fowler, A.C.), **110,** 577
Pressure and temperature evolution in sedimentary basins (Wangen, M.), **110,** 601

Sedimentation

Thermal effects of marine sedimentation in hydrothermally active areas (Wang, K., Davis, E.E.), **110,** 70
Two-dimensional transport of dust from an infinite line source at ground level (Eltayeb, I.A., Hassan, M.H.A.), **110,** 571

Sediments

The effect of low-velocity sediments on the mislocation vectors of the GRF array (Krüger, F., Weber, M.), **108,** 387
Sediment shear *Q* from airgun OBS data (Bromirski, P.D., Frazer, L.N., Duennebier, F.K.), **110,** 465
Two-dimensional transport of dust from an infinite line source at ground level (Eltayeb, I.A., Hassan, M.H.A.), **110,** 571
Magnetic anisotropy as a correction for compaction-caused palaeomagnetic inclination shallowing (Kodama, K.P., Sun, W.W.), **111,** 465

Seismic modelling

Physical and numerical model study of diffraction effects on seismic profiles over simple structures (Pant, D.R., Greenhalgh, S.A., Zhou, B.), **108,** 906

Seismic quiescence

Seismic quiescence: a test of the hypothesis and a precursor to the next Parkfield, California, earthquake (Wyss, M., Habermann, R.E., Bodin, P.), **110,** 518

Seismic reflection

Two-dimensional asymtotic iterative elastic inversion (Jin, S., Madariaga, R., Virieux, J., Lambaré, G.), **108,** 575

A study of two mid-crustal bright spots from southeast Georgia (USA) (Barnes, A.E., Reston, T.J.), **108,** 683
A seismic refraction investigation of the Archaean Kaapvaal Craton, South Africa, using mine tremors as the energy source (Durrheim, R.J., Green, R.W.E.), **108,** 812
High electrical conductivity in a model lower crust with unconnected, conductive, seismically reflective layers (Merzer, A.M., Klemperer, S.L.), **108,** 895
Two-ship deep seismic soundings in the basins of the Eastern Mediterranean Sea (Pasiphae cruise) (de Voogd, B., Truffert, C., Chamot-Rooke, N., Huchon, P., Lallemant, S., Le Pichon, X.), **109,** 536
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213

Seismic refraction

Two-ship deep seismic soundings in the basins of the Eastern Mediterranean Sea (Pasiphae cruise) (de Voogd, B., Truffert, C., Chamot-Rooke, N., Huchon, P., Lallemant, S., Le Pichon, X.), **109,** 536

Seismic stress

Initial shear wave particle motions and stress constraints at the Anza Seismic Network (Aster, R.C., Shearer, P.M.), **108,** 740
A formulation for reliable estimation of active crustal deformation and its application to central Greece (Papazachos, C.B., Kiratzi, A.A.), **111,** 424

Seismic velocities

Seismic traveltime inversion for 2-D crustal velocity structure (Zelt, C.A., Smith, R.B.), **108,** 16
Ultrasonic compressional and shear velocities in dry clastic rocks as a function of porosity, clay content, and confining pressure (Freund, D.), **108,** 125
Geophysical support for aqueous fluids in the deep crust: seismic and electrical relationships (Marquis, G., Hyndman, R.D.), **110,** 91

Seismic wave propagation

PSV-wave propagation in a medium with local heterogeneities: a hybrid formulation and its application (Emmerich, H.), **109,** 54
Rayleigh waves normally incident at a continental boundary (Fitas, A.J.S., Mendez-Victor, L.A.), **109,** 171

Seismic waves

Q for short-period *P*-waves: is it frequency dependent? (Douglas, A.), **108,** 110
Rapid sampling of model space using genetic algorithms: examples from seismic waveform inversion (Sen, M.K., Stoffa, P.L.), **108,** 281
On the onset of *PP* and other mini-max phases (Douglas, A., Sheehan, A.F., Stewart, R.C.), **108,** 394
Seismic wave dispersion and attenuation in Åheim dunite: an experimental study (Jackson, I., Paterson, M.S., Fitz Gerald, J.D.), **108,** 517
A search for split *SKS* waveforms in the North Atlantic (Kuo, B-Y., Forsyth, D.W.), **108,** 557
Kinematic inversion for *qP*- and *qS*- waves in inhomogeneous hexagonally symmetric structures (Jech, J., Pšenčík, I.), **108,** 604
Genetic algorithms in seismic waveform inversion (Sambridge, M., Drijkoningen, G.), **109,** 323
Seismic body waves in a 3-D, slightly aspherical Earth—I: testing the Born approximation (Cummins, P.R.), **109,** 391
Seismic-wave traveltimes in random media (Müller, G., Roth, M., Korn, M.), **110,** 29
Wavefronts and solutions of the eikonal equation (Nowack, R.L.), **110,** 55
Near-source characterization of the seismic wavefield radiated from quarry blasts (Reamer, S.K., Hinzen, K-G., Stump, B.W.), **110,** 435
Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448
Deep and intermediate-depth non-double couple earthquakes: interpretation of moment tensor inversions using various passbands of very broad-band seismic data (Kuge, K., Kawakatsu, H.), **111,** 589

Seismicity

On tidal triggering of earthquakes at Campi Flegrei, Italy (Rydelek, P.A., Sacks, I.S., Scarpa, R.), **109,** 125
Some results of the short-time ocean bottom seismological observations in the central part of the Azores–Gibraltar fault (Soloviev, S.L., Kuzin, I.P., Kovachev, S.A., Moreira, V.S., Senos, M.L., Cruz, J.F.), **110,** 392
A cellular-automata, slider-block model for earthquakes—I. Demonstration of chaotic behaviour for a low-order system (Narkounskaia, G., Turcotte, D.L.), **111,** 250
A cellular-automata, slider-block model for earthquakes—II. Demonstration of self-organized criticality for a 2-D system (Huang, J., Narkounskaia, G., Turcotte, D.L.), **111,** 259
Spatial and temporal variations of Fennoscandian seismicity (Skordas, E., Kulhánek, O.), **111,** 577

Seismograms

A quantitative study of seismic anisotropy in the Yamato Basin, the southeastern Japan Sea, from refraction data collected by an ocean bottom seismographic array (Chung, T.W.), **109,** 620
Broadband modelling of regional seismograms: Imperial Valley to Pasadena (Helmberger, D., Stead, R., Ho-Liu, P., Dreger, D.), **110,** 42
A detailed analysis of microearthquakes in western Crete from digital three-component seismograms (de Chabalier, J.B., Lyon-Caen, H., Zollo, A., Deschamps, A., Bernard, P., Hatzfield, D.), **110,** 347
Sediment shear *Q* from airgun OBS data (Bromirski, P.D., Frazer, L.N., Duennebier, F.K.), **110,** 465
Seismogram synthesis for azimuthally anisotropic media with a single slowness integration (Nolte, B., Frazer, L.N., Mallick, S.), **111,** 127
Generalized seismological data functionals (Gee, L.S., Jordan, T.H.), **111,** 363
Toroidal oscillations and *SH* body waves of an aspherical Earth (Mochizuki, E.), **111,** 497

Seismology

Continuous seismic threshold monitoring (Ringdal, F., Kværna, T.), **111,** 505

Solar activity

Magnetospheric contribution to *K*-indices (Papitashvili, N.E., Papitashvili, V.O., Belov, B.A., Hakkinen L., Sucksdorff, C.), **111,** 348

Source time functions

Observations on source time functions of earthquakes obtained from inversion of teleseismic body waveforms (Taymaz, T.), **108,** 273

Spain

1–18 Hz *Lg* attenuation in the Granada Basin (southern Spain) (De Miguel, F., Ibáñez, J.M., Alguacil, G., Canas, J.A., Vidal, F., Morales, J., Peña, J.A., Posadas, A.M., Luzón, F.), **111,** 270

Spectral analysis

Acoustic attenuation in oceanic gabbro (Goldberg, D., Badri, M., Wepfer, W.), **111,** 193
Spectral analysis of the full gravity tensor (Rummel, R., van Gelderen, M.), **111,** 159
The value of minimum norm estimation of geopotential fields (Xu, P.), **111,** 170
A spectral analysis of geoid undulation and gravity anomaly data computed with Pratt's isostasy theory applied to Moho depth variations in Fennoscandia (Nord, T., Sjöberg, L.E.), **111,** 179
Observation of low-order toroidal modes from the 1989 Macquarie Rise event (Widmer, R., Zürn, W., Masters, G.), **111,** 226
Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view (Herzfeld, U.C.), **111,** 237

Statistical methods

Bayesian approach to smoothing palaeomagnetic data using ABIC (Tsunakawa, H.), **108,** 801
Testing whether two Fisher distributions have the same centre (Watson, G.S., Debiche, M.G.), **109,** 225
Evaluating the statistical validity beyond chance of 'VAN' earthquake precursors (Mulargia, F., Gasperini, P.), **111,** 32
Considerations on the global seismic sequences: the second and the third largest aftershocks (Tsapanos, T.M.), **111,** 630

Stress distribution

Consequences of thrusting and intraplate stress fluctuations for vertical motions in foreland basins and peripheral areas (Peper, T., Beekman, F., Cloetingh, S.), **111,** 104

Subduction

Subducting oceanic crusts of the Philippine Sea and Pacific plates and weak-zone-normal compression in the Kanto district, Japan (Hurukawa, N., Imoto, M.), **109,** 639
Observations of very high *P*-velocities in the subducted slab, New Zealand, and their relation with the slab geometry (Galea, P.), **110,** 238
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213
Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291
Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab (Sekiguchi, S.), **111,** 448

Surface waves

Multiple scattering of surface waves from discrete obstacles (Bostock, M.G., Kennett, B.L.N.), **108,** 52
Deep structure of the Iberian Peninsula determined by Rayleigh wave velocity inversion (Badal, J., Corchete, V., Payo, G., Serón, F.J., Canas, J.A., Pujades, L.), **108,** 71
Rayleigh waves normally incident at a continental boundary (Fitas, A.J.S., Mendez-Victor, L.A.), **109,** 171
Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at plane vertical discontinuities (Stange, S., Friederich, W.), **109,** 183
Reflection and transmission of surface waves in laterally varying media (Bostock, M.G.), **109,** 411
Variational principles for surface wave propagation on a laterally heterogeneous Earth—I. Time domain JWKB theory (Tromp, J., Dahlen, F.A.), **109,** 581
Variational principles for surface wave propagation on a laterally heterogeneous Earth—II. Frequency-domain JWKB theory (Tromp, J., Dahlen, F.A.), **109,** 599
Anisotropy and coupled free oscillations: simplified models and surface wave observations (Park, J., Yu, Y.), **110,** 401
Modelling of laterally trapped surface waves with application to Rayleigh waves in the Hawaiian swell (Maupin, V.), **110,** 553
Normal mode multiplet coupling on an aspherical anelastic earth (Um, J., Dahlen, F.A.), **111,** 11
Propagation of surface waves on a laterally heterogeneous earth: asymptotic solution of the two-dimensional wave equation (Pollitz, F.F.), **111,** 67
Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291
Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at a cylindrical inclusion (Stange, S., Friederich, W.), **111,** 470

Synthetic seismograms

The times and amplitudes of core phases for a variable core–mantle boundary layer (Rekdal, T., Doornbos, D.J.), **108,** 546
LISPB revisited: a new look under the Caledonides of northern Britain (Barton, P.J.), **110,** 371
Anisotropy and coupled free oscillations: simplified models and surface wave observations (Park, J., Yu, Y.), **110,** 401
Generation of synthetic seismograms with layer reduction (Bhattacharya, S.N.), **111,** 79
Normal mode multiplet coupling on an aspherical anelastic earth (Um, J., Dahlen, F.A.), **111,** 11

Tectonics

King's Trough: reactivated pseudo-fault of a propagating rift (Srivastava, S.P., Roest, W.R.), **108,** 143
The 1971 May 12 Burdur earthquake sequence, SW Turkey: a synthesis of seismological and geological observations (Taymaz, T., Price, S.), **108,** 589
Modern tectonic stress field in the Mediterranean region: evidence for variation in stress directions at different scales (Rebaï, S., Philip, H., Taboada, A.), **110,** 106
The Armenian earthquake of 1988 December 7: faulting and folding, neotectonics and palaeoseismicity (Philip, H., Rogozhin, E., Cisternas, A., Bousquet, J.C., Borisov, B., Karakhanian, A.), **110,** 141
Clockwise and anticlockwise rotation of Viti Levu, Fiji—in relation to the tectonic development of the North and the South Fiji Basin (Inokuchi, H., Yaskawa, K., Rodda, P.), **110,** 225
Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone (Holliger, K., Kissling, E.), **111,** 213
A cellular-automata, slider-block model for earthquakes—I. Demonstration of chaotic behaviour for a low-order system (Narkounskaia, G., Turcotte, D.L.), **111,** 250
A cellular-automata, slider-block model for earthquakes—II. Demonstration of self-organized criticality for a 2-D system (Huang, J., Narkounskaia, G., Turcotte, D.L.), **111,** 259
Geodetic determination of crustal deformation across the Strait of Gibraltar (Reilly, W.I., Fredrich, G., Hein, G.W., Landau, H., Almazán, J.L., Caturla, J.L.), **111,** 391
A formulation for reliable estimation of active crustal deformation and its application to central Greece (Papazachos, C.B., Kiratzi, A.A.), **111,** 424
Thermal convection with non-Newtonian plates (Weinstein, S.A., Olson, P.L.), **111,** 515
Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan (Sato, T., Matsu'ura, M.), **111,** 617

Thermodynamics

Corrigendum to 'Pore shape evolution by solution transfer: thermodynamics and mechanics' (Reuschlé, T., Trotignon, L., Gueguen, Y.), **108,** 692

Tides

Tidal deceleration of the moon's mean motion (Cheng, M.K., Eanes, R.J., Tapley, B.D.), **108,** 401

An ephemeris for gravity tide predictions at the nanogal level (Merriam, J.B.), **108,** 415

Tomography

Diffraction and seismic tomography (Doornbos, D.J.), **108,** 256
The effect of low-velocity sediments on the mislocation vectors of the GRF array (Krüger, F., Weber, M.), **108,** 387
The times and amplitudes of core phases for a variable core–mantle boundary layer (Rekdal, T., Doornbos, D.J.), **108,** 546
Traveltime tomography in anisotropic media—I. Theory (Chapman, C.H., Pratt, R.G.), **109,** 1
Traveltime tomography in anisotropic media—II. Application (Pratt, R.G., Chapman, C.H.), **109,** 20
Tomographic study of local earthquake data from the Lake Bogoria region of the Kenya Rift Valley (Tongue, J.A.), **109,** 249
Ray perturbation theory for traveltimes and ray paths in 3-D heterogeneous media (Snieder, R., Sambridge, M.), **109,** 294
Formal inversion of laterally heterogeneous velocity structure from *P*-wave polarization data (Hu, G., Menke, W.), **110,** 63

Topography

Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus (Kiefer, W.S., Hager, B.H.), **108,** 198
Elastic wave propagation simulation in the presence of surface topography (Tessmer, E., Kosloff, D., Behle, A.), **108,** 621
Diapirism and topography (Poliakov, A., Podladchikov, Y.), **109,** 553
Topography of the 400km discontinuity from obseravtions of long-period $P_{400}P$ phases (Neele, F., Sneider, R.), **109,** 670

UK

Trends in UK extreme sea-levels: a spatial approach (Dixon, M.J., Tawn, J.A.), **111,** 607

Upper mantle

Upper mantle structure from long-period differential traveltimes and free oscillation data (Woodward, R.L., Masters, G.), **109,** 275
Topography of the 400km discontinuity from obseravtions of long-period $P_{400}P$ phases (Neele, F., Sneider, R.), **109,** 670
The electrical conductivity of the oceanic upper mantle (Heinson, G., Constable, S.), **110,** 159

Viscoelasticity

Rayleigh waves in isotropic viscoelastic media (Carcione, J.M.), **108,** 453
Some remarks about the rotations of a viscous planet and its homogeneous liquid core: linear theory (Lefftz, M., Legros, H.), **108,** 705
Influence of viscoelastic coupling on the axial rotation of the Earth and its fluid core (Lefftz, M., Legros, H.), **108,** 725

Viscosity

Effects on post-glacial rebound from the hard rheology in the transition zone (Spada, G., Sabadini, R., Yuen, D.A., Ricard, Y.), **109,** 683
The dynamics of thin shells with variable viscosity and the origin of toroidal flow in the mantle (Ribe, N.M.), **110,** 537

Wave equation

Propagation of surface waves on a laterally heterogeneous earth: asymptotic solution of the two-dimensional wave equation (Pollitz, F.F.), **111,** 67

Wave propagation

Elastic wave propagation simulation in the presence of surface topography (Tessmer, E., Kosloff, D., Behle, A.), **108,** 621
Bending method revisited: a Hamiltonian approach (Farra, V.), **109,** 138
Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at plane vertical discontinuities (Stange, S., Friederich, W.), **109,** 183
Ray perturbation theory for traveltimes and ray paths in 3-D heterogeneous media (Snieder, R., Sambridge, M.), **109,** 294
A numerical investigation of scattering effects for teleseismic plane wave propagation in a heterogeneous layer over a homogeneous half-space (Wagner, G.S., Langston, C.A.), **110,** 486
Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at a cylindrical inclusion (Stange, S., Friederich, W.), **111,** 470

Waveform analysis

Waveform inversion for point source moment tensor retrieval with variable hypocentral depth and structural model (Šílený, J., Panza, G.F., Campus, P.), **109,** 259
Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations (McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L.), **111,** 291
A source of significant transverse arrivals from an isotropic–anisotropic interface, e.g. the Moho (Guest, W.S., Thompson, C.J.), **111,** 309
Generalized seismological data functionals (Gee, L.S., Jordan, T.H.), **111,** 363
Global patterns of azimuthal anisotropy and deformations in the continental mantle (Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A.), **111,** 433
Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at a cylindrical inclusion (Stange, S., Friederich, W.), **111,** 470
Deep and intermediate-depth non-double couple earthquakes: interpretation of moment tensor inversions using various passbands of very broad-band seismic data (Kuge, K., Kawakatsu, H.), **111,** 589

Geophysical journal international author index by volume 108–111

Acton, G.D. *see* Petronotis, K.E.
Adam, A. *see* Fischer, G.
Ainsworth, J.N. *see* Banks, R.J.
Akasofu, S.-I., A confirmation of the validity of the electric current distribution determined by a ground-based magnetometer network, **109,** 191
Alewine, R.W. *see* Ringdal, F.
Alguacil, G. *see* De Miguel, F.
Almazán, J.L. *see* Reilly, W.I.
Andersen, T.B. *see* Torsvik, T.H.
Aptekman, J. *see* Dorbath, L.
Arefiev, S. *see* Dorbath, L.
Arkani-Hamed, J. *see* Roest, W.R.
Arvidsson, R., Wahlström,R., Kulhánek, O., Deep-crustal earthquakes in the southern Baltic Shield, **108,** 767
Aster, R.C., Shearer, P.M., Initial shear wave particle motions and stress constraints at the Anza Seismic Network, **108,** 740
Audet, D.M., Fowler, A.C., A mathematical model for compaction in sedimentary basins, **110,** 577

Badal, J., Corchete, V., Payo, G., Serón, F.J., Canas, J.A., Pujades, L., Deep structure of the Iberian Peninsula determined by Rayleigh wave velocity inversion, **108,** 71
Badri, M. *see* Goldberg, D.
Banks, R.J., Ainsworth, J.N., Global induction and the spatial structure of mid-latitude geomagnetic variations, **110,** 251
Barker, T.G. *see* McLaughlin K.L.
Barnes, A.E., Reston, T.J., A study of two mid-crustal bright spots from southeast Georgia (USA), **108,** 683
Barton, P.J., LISPB revisited: a new look under the Caledonides of northern Britain, **110,** 371
Bashirov, A.E., Eppelbaum, L.V., Mishné, L.R., Improving Eötvös corrections by wide-band noise Kalman filtering, **108,** 193
Beekman, F. *see* Peper, T.
Behle, A. *see* Tessmer, E.
Belov, B.A. *see* Papitashvili, N.E.
Bernard, P. *see* de Chabalier, J.B.
Bhattacharya, S.N., Generation of synthetic seismograms with layer reduction, **111,** 79
Bodin, P. *see* Wyss, M.
Boerner, D. E. *see* Qian, W.
Borisov, B. *see* Philip, H.
Bostock, M.G., Kennett, B.L.N., Multiple scattering of surface waves from discrete obstacles, **108,** 52
Bostock, M.G., Reflection and transmission of surface waves in laterally varying media, **109,** 411
Bottari, A., Caccamo, D., Neri, G., An example of seismic occurrence modelling by a several-state random process, **108,** 267
Bousquet, J.C. *see* Philip, H.
Brennan, B.J. *see* Smylie, D.E.
Bromirski, P.D., Frazer, L.N., Duennebier, F.K., Sediment shear Q from airgun OBS data, **110,** 465
Burov, E.B., Diament, M., Flexure of the continental lithosphere with multilayered rheology, **109,** 449
Butcher, E.C., Schlapp, D.M., The annual variation of the night-time values of the geomagnetic field, **111,** 151

Caccamo, D. *see* Bottari, A.
Campus, P. *see* Šílený, J.
Canas, J.A. *see* Badal, J.
Canas, J.A. *see* De Miguel, F.
Cao, S., Greenhalgh, S., Finite-difference simulation of *P–SV*-wave propagation: a displacement-potential approach, **109,** 525
Carcione, J.M., Rayleigh waves in isotropic viscoelastic media, **108,** 453
Caturla, J.L. *see* Reilly, W.I.
Chakridi, R., Chouteau, M., Mareschal, M., A simple technique for analysing and partly removing galvanic distortion from the magnetotelluric impedance tensor: application to Abitibi and Kapuskasing data (Canada), **108,** 917
Chamot-Rooke, N. *see* de Voogd, B.
Channell, J.E.T., McCabe, C., Woodcock, N.H., Early Devonian (pre-Acadian) magnetization in Lower Old Red Sandstone of south Wales (UK), **108,** 883
Chant, I.J., Hastie, L.M., Time-frequency analysis of magnetotelluric data, **111,** 399
Chapman, C.H. *see* Pratt, R.G.
Chapman, C.H., Pratt, R.G., Traveltime tomography in anisotropic media—I. Theory, **109,** 1
Cheng, M.K., Eanes, R.J., Tapley, B.D., Tidal deceleration of the Moon's mean motion, **108,** 401
Chouteau, M. *see* Chakridi, R.
Chung, T.W., A quantitative study of seismic anisotropy in the Yamato Basin, the southeastern Japan Sea, from refraction data collected by an ocean bottom seismographic array, **109,** 620
Cisternas, A. *see* Dorbath, L.
Cisternas, A. *see* Haessler, H.
Cisternas, A. *see* Philip, H.
Clayton, R.W. *see* Davies, J.H.
Cloetingh, S. *see* Peper, T.
Console, R., Di Giovambattista, R., Favali, P., Smriglio, G., Seismogenic structures activated during the 1987 seismic sequences along the Adriatic coast, **108,** 379
Constable, S. *see* Heinson, G.
Corchete, V. *see* Badal, J.
Crossley, D.J., Rochester, M.G., The subseismic approximation in core dynamics, **108,** 502
Cruz, J.F. *see* Soloviev, S.L.
Cummins, P.R., Seismic body waves in a 3-D, slightly aspherical Earth—I: testing the Born approximation, **109,** 391

Dabas, M., Jolivet, A., Tabbagh, A., Magnetic susceptibility and viscosity of soils in a weak time varying field, **108,** 101
Dahlen, F.A. *see* Tromp, J.
Dahlen, F.A. *see* Um, J.
Davies, J.H., Gudmundsson, O., Clayton, R.W., Spectra of mantle shear wave velocity structure, **108,** 865
Davis, E.E. *see* Wang, K.
Dawson, T.W. *see* Weaver, J.T.
Day, S.M. *see* McLaughlin K.L.
de Chabalier, J.B., Lyon-Caen, H., Zollo, A., Deschamps, A., Bernard, P., Hatzfield, D., A detailed analysis of microearthquakes in western Crete from digital three-component seismograms, **110,** 347
De Miguel, F., Ibáñez, J.M., Alguacil, G., Canas, J.A., Vidal, F., Morales, J., Peña, J.A., Posadas, A.M., Luzón, F., 1–18 Hz *Lg* attenuation in the Granada Basin (southern Spain), **111,** 270
de Voogd, B., Truffert, C., Chamot-Rooke, N., Huchon, P., Lallemant, S., Le Pichon, X., Two-ship deep seismic soundings in the basins of the Eastern Mediterranean Sea (Pasiphae cruise), **109,** 536
Debiche, M.G. *see* Watson, G.S.
Deichmann, N., Garcia-Fernandez, M., Rupture geometry from high-precision relative hypocentre locations of microearthquake clusters, **110,** 501
Dentith, M.C. *see* Trench, A.
Deschamps, A. *see* de Chabalier, J.B.
Deschamps, A. *see* Haessler, H.
Dewey, J.F. *see* Torsvik, T.H.
Di Giovambattista, R. *see* Console, R.
Diament, M. *see* Burov, E.B.
Dixon, M.J., Tawn, J.A., Trends in UK extreme sea-levels: a spatial approach, **111,** 607

Dmitrieva, O.E. *see* Molchan, G.M.
Doornbos, D.J. *see* Rekdal, T.
Doornbos, D.J., Diffraction and seismic tomography, **108,** 256
Dorbath, C. *see* Dorbath, L.
Dorbath, L., Dorbath, C., Rivera, L., Fuenzalida, A., Cisternas, A., Tatevossian, R., Aptekman, J., Arefiev, S., Geometry, segmentation and stress regime of the Spitak (Armenia) earthquake from the analysis of the aftershock sequence, **108,** 309
Douglas, A., *Q* for short-period *P*-waves: is it frequency dependent?, **108,** 110
Douglas, A., Sheehan, A.F., Stewart, R.C., Northern Chile earthquake of 1980 May 26: evidence of unilateral fracture, **110,** 201
Douglas, A., Sheehan, A.F., Stewart, R.C., On the onset of *PP* and other mini-max phases, **108,** 394
Dreger, D. *see* Helmberger, D.
Drijkoningen, G. *see* Sambridge, M.
Duennebier, F.K. *see* Bromirski, P.D.
Dufumier, H. *see* Haessler, H.
Dunn, R. *see* Rochette, P.
Durrheim, R.J., Green, R.W.E., A seismic refraction investigation of the Archaean Kaapvaal Craton, South Africa, using mine tremors as the energy source, **108,** 812

Eanes, R.J. *see* Cheng, M.K.
Edwards, R.N. *see* Nobes, D.C.
Edwards, R.N. *see* Yu, L.
Eltayeb, I.A., Hassan, M.H.A., Two-dimensional transport of dust from an infinite line source at ground level, **110,** 571
Emmerich, H., *PSV*-wave propagation in a medium with local heterogeneities: a hybrid formulation and its application, **109,** 54
Eneva, M., Hamburger, M.W., Popandopulo, G.A., Spatial distribution of earthquakes in aftershock zones of the Garm region, Soviet Central Asia, **109,** 38
Eppelbaum, L.V. *see* Bashirov, A.E.
Evans, M.E. *see* Maillol,, J.M.

Farra, V., Bending method revisited: a Hamiltonian approach, **109,** 138
Favali, P. *see* Console, R.
Fehler, M., Hoshiba, M., Sato, H., Obara, K., Separation of scattering and intrinsic attenuation for the Kanto–Tokai region, Japan, using measurements of *S*-wave energy versus hypocentral distance, **108,** 787
Finch, R.C. *see* Gose, W.A.
Fischer, G., Szarka, L., Adam, A., Weaver, J.T., The magnetotelluric phase over 2-D structures, **108,** 778
Fitas, A.J.S., Mendez-Victor, L.A., Rayleigh waves normally incident at a continental boundary, **109,** 171
Fitz Gerald, J.D. *see* Jackson, I.
Fleitout, L., Moriceau, C., Short-wavelength geoid, bathymetry and the convective pattern beneath the Pacific Ocean, **110,** 6
Fokkema, J.T., van den Berg, P.M., Reflector imaging, **110,** 191
Forsyth, D.W. *see* Kuo, B-Y.
Fowler, A.C. *see* Audet, D.M.
Frazer, L.N. *see* Bromirski, P.D.
Frazer, L.N. *see* Nolte, B.
Fredrich,G. *see* Reilly, W.I.
Frenkel, M.A., Katsevich, A.I., A method of physical approximation of the electromagnetic field, **110,** 421
Freund, D., Ultrasonic compressional and shear velocities in dry clastic rocks as a function of porosity, clay content, and confining pressure, **108,** 125
Friederich, W. *see* Stange, S.
Fuenzalida, A. *see* Dorbath, L.
Fuenzalida, H. *see* Haessler, H.
Fukuma, K., A numerical simulation of magnetostatic coagulation in a fluid, **111,** 357

Gable, C.W. *see* King, S.D.
Galea, P., Observations of very high *P*-velocities in the subducted slab, New Zealand, and their relation with the slab geometry, **110,** 238
Gallagher, K., Sambridge, M., The resolution of past heat flow in sedimentary basins from non-linear inversion of geochemical data: the smoothest model approach, with synthetic examples, **109,** 78
Garcia-Fernandez, M. *see* Deichmann, N.
Gasperini, P. *see* Mulargia, F.
Gee, L.S., Jordan, T.H., Generalized seismological data functionals, **111,** 363
Gershanik, S., On the lines of the direction of *S*-waves, **110,** 1
Gilbert, F. *see* Widmer, R.
Göddenhenrich, T. *see* Williams, W.
Goldberg, D., Badri, M., Wepfer, W., Acoustic attenuation in oceanic gabbro, **111,** 193
Gordon, R.G. *see* Petronotis, K.E.
Gose, W.A., Finch, R.C., Stratigraphic implications of palaeomagnetic data from Honduras, **108,** 855
Green, R.W.E. *see* Durrheim, R.J.
Greenhalgh, S. *see* Cao, S.
Greenhalgh, S.A. *see* Pant, D.R.
Gross, R.S., Correspondence between theory and observations of polar motion, **109,** 162
Gubbins, D. *see* Zhang, K.
Gudmundsson, O. *see* Davies, J.H.
Gueguen, Y. *see* Reuschlé, T.
Guest, W.S. *see* Kendall, J-M.; Thomson, C.J.
Guest, W.S., Thompson, C.J., A source of significant transverse arrivals from an isotropic–anisotropic interface, e.g. the Moho, **111,** 309
Guest, W.S., Thomson, C.J., Kendall, J-M., Displacements and rays for splitting *S*-waves: perturbation theory and the failure of the ray method, **108,** 372

Habermann, R.E. *see* Wyss, M.
Haessler, H., Deschamps, A., Dufumier, H., Fuenzalida, H., Cisternas, A., The rupture process of the Armenian earthquake from broad-band teleseismic body wave records, **109,** 151
Hager, B.H. *see* Kiefer, W.S.
Hahn, A. *see* Nolte, B.
Hakkinen L. *see* Papitashvili, N.E.
Hamburger, M.W. *see* Eneva, M.
Hassan, M.H.A. *see* Eltayeb, I.A.
Hastie, L.M. *see* Chant, I.J.
Hatzfield, D. *see* de Chabalier, J.B.
Heiden, C. *see* Williams, W.
Heider, F. *see* Williams, W.
Hein, G.W. *see* Reilly, W.I.
Heinson, G., Constable, S., The electrical conductivity of the oceanic upper mantle, **110,** 159
Heller, F. *see* Liu, X.
Helmberger, D., Stead, R., Ho-Liu, P., Dreger, D., Broadband modelling of regional seismograms: Imperial Valley to Pasadena, **110,** 42
Henyey, T. *see* Katz, S.
Herrero-Bervera, E., Khan, M.A., Olduvai termination: detailed palaeomagnetic analysis of a north central Pacific core, **108,** 535
Herzfeld, U.C., Least-squares collocation, geophysical inverse theory and geostatistics: a bird's eye view, **111,** 237
Hinzen, K-G. *see* Reamer, S.K.
Ho-Liu, P. *see* Helmberger, D.
Hobbs, B.A. *see* Zhang, A.J.
Hoffmann, V. *see* Williams, W.
Holliger, K., Kissling, E., Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone, **111,** 213
Hördt, A., Jödicke, H., Strack, K.-M., Vozoff, K., Wolfgram, P.A., Inversion of long-offset TEM soundings near the borehole Münsterland 1, Germany, and comparision with MT measurements, **108,** 930
Hoshiba, M. *see* Fehler, M.
Hu, G., Menke, W., Formal inversion of laterally heterogeneous velocity structure from *P*-wave polarization data, **110,** 63
Huang, J., Narkounskaia, G., Turcotte, D.L., A cellular-automata, slider-block model for earthquakes—II. Demonstration of self-organized criticality for a 2-D system, **111,** 259
Huchon, P. *see* de Voogd, B.
Hulot, G., Le Mouël, J.L., Wahr, J., Taking into account truncation problems and geomagnetic model accuracy in assessing computed flows at the core–mantle boundary, **108,** 224
Hurukawa, N., Imoto, M., Subducting oceanic crusts of the Philippine Sea and Pacific plates and weak-zone-normal compression in the Kanto district, Japan, **109,** 639

Hutton, V.R.S. *see* Meju, M.A.
Hyndman, R.D. *see* Marquis, G.

Ibáñez, J.M. *see* De Miguel, F.
Imoto, M. *see* Hurukawa, N.
Inokuchi, H., Yaskawa, K., Rodda, P., Clockwise and anticlockwise rotation of Viti Levu, Fiji—in relation to the tectonic development of the North and the South Fiji Basin, **110,** 225
Ivanova, E.I. *see* Zobin, V.M.

Jackson, I., Paterson, M.S., Fitz Gerald, J.D., Seismic wave dispersion and attenuation in Åheim dunite: an experimental study, **108,** 517
Jackson, J. *see* Taymaz, T.
Jech, J., Pšenčík, I., Kinematic inversion for *qP*- and *qS*-waves in inhomogeneous hexagonally symmetric structures, **108,** 604
Jiang, X. *see* Smylie, D.E.
Jin, S., Madariaga, R., Virieux, J., Lambaré, G., Two-dimensional asymtotic iterative elastic inversion, **108,** 575
Jödicke, H. *see* Hördt, A.
Johnson, E., The influence of the lithospheric thickness on bilateral slip, **108,** 151
Jolivet, A. *see* Dabas, M.
Jordan, T.H. *see* Gee, L.S.

Kagan, Y.Y., Correlations of earthquake focal mechanisms, **110,** 305
Kaikkonen, P. *see* Marcuello-Pascual, A.
Kaila, K.L., Reddy, P.R., Mall, D.M., Venkateswarlu, N., Krishna, V.G., Prasad, A.S.S.S.R.S., Crustal structure of the west Bengal basin, India from deep seismic sounding investigations, **111,** 45
Karakhanian, A. *see* Philip, H.
Katsevich, A.I. *see* Frenkel, M.A.
Katz, S., Henyey, T., Post-stack diffraction-type migration of the signal component of the wavefield, **109,** 517
Kawakatsu, H. *see* Kuge, K.
Kellet, R.L., Mareschal, M., Kurtz, R.D., A model of lower crustal electrical anisotropy for the Pontiac Subprovince of the Canadian Shield, **111,** 141
Kendall, J-M. *see* Guest, W.S.; Thomson, C.J.
Kendall, J-M., Guest, W.S., Thomson, C.J., Ray-theory Green's function reciprocity and ray-centred coordinates in anisotropic media, **108,** 364
Kennett, B.L.N. *see* Bostock, M.G.
Kennett, B.L.N., Locating oceanic earthquakes—the influence of regional models and location criteria, **108,** 848
Khan, M.A. *see* Herrero-Bervera, E.
Khramov, A.N. *see* Sethurst, M.A.
Kiefer, W.S., Hager, B.H., Geoid anomalies and dynamic topography from convection in cylindrical geometry: applications to mantle plumes on Earth and Venus, **108,** 198
King, S.D., Gable, C.W., Weinstein, S.A., Models of convection-driven tectonic plates: a comparison of methods and results, **109,** 481
Kiratzi, A.A. *see* Papazachos, C.B.
Kissling, E. *see* Holliger, K.
Klemperer, S.L. *see* Merzer, A.M.
Kobayashi, K. *see* Nakanishi, M.
Kodama, K.P., Sun, W.W., Magnetic anisotropy as a correction for compaction-caused palaeomagnetic inclination shallowing, **111,** 465
Korn, M. *see* Müller, G.
Kosloff, D. *see* Tessmer, E.
Kovachev, S.A. *see* Soloviev, S.L.
Krishna, V.G. *see* Kaila, K.L.
Krüger, F., Weber, M., The effect of low-velocity sediments on the mislocation vectors of the GRF array, **108,** 387
Kudo, K. *see* Oura, A.
Kuge, K., Kawakatsu, H., Deep and intermediate-depth non-double couple earthquakes: interpretation of moment tensor inversions using various passbands of very broad-band seismic data, **111,** 589
Kulhánek, O. *see* Arvidsson, R.
Kulhánek O. *see* Skordas, E.
Kuo, B-Y., Forsyth, D.W., A search for split *SKS* waveforms in the North Atlantic, **108,** 557
Kurtz, R.D. *see* Kellet, R.L.
Kusznir, N.J. *see* Ma, X.Q.
Kuzin, I.P. *see* Soloviev, S.L.
Kværna, T. *see* Ringdal, F.

Lallemant, S. *see* de Voogd, B.
Lambaré, G. *see* Jin, S.
Landau, H. *see* Reilly, W.I.
Langston, C.A. *see* Wagner, G.S.
Law, L.K. *see* Nobes, D.C.
Le Mouël, J.L. *see* Hulot, G.
Le Pichon, X. *see* de Voogd, B.
Lefftz, M., Legros, H., Influence of viscoelastic coupling on the axial rotation of the Earth and its fluid core, **108,** 725
Lefftz, M., Legros, H., Some remarks about the rotations of a viscous planet and its homogeneous liquid core: linear theory, **108,** 705
Legros, H. *see* Lefftz, M.
Li, X., Pedersen, L.B., Controlled-source tensor magnetotelluric responses of a layered earth with azimuthal anisotropy, **111,** 91
Li, Y., Oldenburg, D.W., Approximate inverse mappings in DC resistivity problems, **109,** 343
Liddicoat, J.C., Mono Lake Excursion in Mono Basin, California, and at Carson Sink and Pyramid Lake, Nevada, **108,** 442
Liddicoat, J.C., Palaeomagnetism of the Pico Formation, Santa Paula Creek, Ventura Basin, California, **110,** 267
Lisle, R.J., New method of estimating regional stress orientations: application to focal mechanism data of recent British earthquakes, **110,** 276
Liu, T. *see* Liu, X.
Liu, X., Shaw, J., Liu, T., Heller, F., Yuan, B., Magnetic mineralogy of Chinese loess and its significance, **108,** 301
Lomnitz-Adler, J., Interplay of fault dynamics and fractal dimension in determining Gutenberg & Richter's *b*-value, **108,** 941
Luzón, F. *see* De Miguel, F.
Lyon-Caen, H. *see* de Chabalier, J.B.

Ma, X.Q., Kusznir, N.J., 3-D subsurface displacement and strain fields for faults and fault arrays in a layered elastic half-space, **111,** 542
McCabe, C. *see* Channell, J.E.T.
McKenzie, D. *see* Taymaz, T.
McLaughlin K.L., Barker, T.G., Day, S.M., Shkoller, B., Stevens, J.L., Effects of subduction zone structure on explosion-generated Rayleigh waves: 3-D numerical simulations, **111,** 291
McMechan, G.A. *see* Sun, R.
Madariaga, R. *see* Jin, S.
Maillol, J.M., Evans, M.E., Magnetic intensity variations in red beds of the Lodève Basin (southern France) and their bearing on the magnetization acquisition process, **111,** 281
Main, I.G., Damage mechanics with long-range interactions: correlation between the seismic *b*-value and the fractal two-point correlation dimension, **111,** 531
Makeyeva, L.I. *see* Vinnik, L.P.
Mall, D.M. *see* Kaila, K.L.
Mallick, S. *see* Nolte, B.
Marcuello-Pascual, A., Kaikkonen, P., Pous, J., 2-D inversion of MT data with a variable model geometry, **110,** 297
Mareschal, M. *see* Chakridi, R.
Mareschal, M. *see* Kellet, R.L.
Marquis, G., Hyndman, R.D., Geophysical support for aqueous fluids in the deep crust: seismic and electrical relationships, **110,** 91
Marshall, P.D. *see* Ringdal, F.
Masters, G. *see* Widmer, R.
Masters, G. *see* Woodward, R.L.
Mat-Isa, A.R., Usher, M.J., An angular accelerometer for reducing the effects of tilt in seismic records, **109,** 197
Matsu'ura, M. *see* Sato, T.
Matsu'ura, M. *see* Yabuki, T.
Maupin, V., Modelling of laterally trapped surface waves with application to Rayleigh waves in the Hawaiian swell, **110,** 553
Meier, M.F. *see* Trupin, A.S.

Meju, M.A., Hutton, V.R.S., Iterative most-squares inversion: application to magnetotelluric data, **108,** 758
Ménard, G. *see* Rochette, P.
Mendez-Victor, L.A. *see* Fitas, A.J.S.
Menke, W. *see* Hu, G.
Merriam, J.B., An ephemeris for gravity tide predictions at the nanogal level, **108,** 415
Merriam, J.B., Atmospheric pressure and gravity, **109,** 488
Merzer, A.M., Klemperer, S.L., High electrical conductivity in a model lower crust with unconnected, conductive, seismically reflective layers, **108,** 895
Miles, P.R. *see* Pinheiro, L.M.
Milev, A. *see* Vinnik, L.P.
Mishné, L.R. *see* Bashirov, A.E.
Mitrovica, J.X., Peltier, W.R., A comparison of methods for the inversion of viscoelastic relaxation spectra, **108,** 410
Mjelde, R., Shear waves from three-component ocean bottom seismographs off Lofoten, Norway, indicative of anisotropy in the lower crust, **110,** 283
Mochizuki, E., Toroidal oscillations and *SH* body waves of an aspherical Earth, **111,** 497
Molchan, G.M., Dmitrieva, O.E., Aftershock identification: methods and new approaches, **109,** 501
Moon, W.M. *see* Won, J.S.
Morales, J. *see* De Miguel, F.
Moreira, V.S. *see* Soloviev, S.L.
Moriceau, C. *see* Fleitout, L.
Mulargia, F., Gasperini, P., Evaluating the statistical validity beyond chance of 'VAN' earthquake precursors, **111,** 32
Müller, G., Roth, M., Korn, M., Seismic-wave traveltimes in random media, **110,** 29
Mullis, A.M., An investigation of the depth of excavation and thickness of basalt fill for the lunar mascon basins, **109,** 233

Nakanishi, M., Tamaki, K., Kobayashi, K., Magnetic anomaly lineations from Late Jurassic to Early Cretaceous in the west-central Pacific Ocean, **109,** 701
Narkounskaia, G. *see* Huang, J.
Narkounskaia, G., Turcotte, D.L, A cellular-automata, slider-block model for earthquakes—I. Demonstration of chaotic behaviour for a low-order system, **111,** 250
Neele, F., Sneider, R., Topography of the 400km discontinuity from obseravtions of long-period $P_{400}P$ phases, **109,** 670
Neri, G. *see* Bottari, A.
Nobes, D.C., Law, L.K., Edwards, R.N., Results of a sea-floor electromagnetic survey over a sedimented hydrothermal area on the Juan de Fuca Ridge, **110,** 333
Nolte, B., Frazer, L.N., Mallick, S., Seismogram synthesis for azimuthally anisotropic media with a single slowness integration, **111,** 127
Nolte, H.J., Hahn, A., A model of the distribution of crustal magnetization in central Europe compatible with the field of magnetic anomalies deduced from Magsat results, **111,** 483
Nord, T., Sjöberg, L.E., A spectral analysis of geoid undulation and gravity anomaly data computed with Pratt's isostasy theory applied to Moho depth variations in Fennoscandia, **111,** 179
Nowack, R.L., Wavefronts and solutions of the eikonal equation, **110,** 55

Obara, K. *see* Fehler, M.
Oldenburg, D.W. *see* Li, Y.
Olson, P.L. *see* Weinstein, S.A.
Onwumechili, C.A., A study of rocket measurements of ionospheric currents—I. General setting and night-time ionospheric currents, **108,** 633
Onwumechili, C.A., A study of rocket measurements of ionospheric currents—II. Ionospheric currents outside the dip equatorial zone, **108,** 641
Onwumechili, C.A., A study of rocket measurements of ionospheric currents—III. Ionospheric currents at the magnetic dip equator, **108,** 647
Onwumechili, C.A., A study of rocket measurements of ionospheric currents—IV. Ionospheric currents in the transition zone and the overview of the study, **108,** 660
Onwumechili, C.A., A study of rocket measurements of ionospheric currents—V. Modelling rocket profiles of low-latitude ionospheric currents, **108,** 673
Oura, A., Yoshida, S., Kudo, K., Rupture process of the Ito–Oki, Japan, earthquake of 1989 July 9 and interpretation as a trigger of volcanic eruption, **109,** 241

Pant, D.R., Greenhalgh, S.A., Zhou, B., Physical and numerical model study of diffraction effects on seismic profiles over simple structures, **108,** 906
Panza, G.F. *see* Šílený, J.
Papazachos, C.B., Kiratzi, A.A., A formulation for reliable estimation of active crustal deformation and its application to central Greece, **111,** 424
Papitashvili, N.E., Papitashvili, V.O., Belov, B.A., Hakkinen L., Sucksdorff, C., Magnetospheric contribution to *K*-indices, **111,** 348
Papitashvili, V.O. *see* Papitashvili, N.E.
Park, J., Yu, Y., Anisotropy and coupled free oscillations: simplified models and surface wave observations, **110,** 401
Paterson, M.S. *see* Jackson, I.
Payo, G. *see* Badal, J.
Pedersen, L.B. *see* Li, X.
Pedersen, L.B. *see* Qian, W.
Peltier, W.R. *see* Mitrovica, J.X.
Peña, J.A. *see* De Miguel, F.
Peper, T., Beekman, F., Cloetingh, S., Consequences of thrusting and intraplate stress fluctuations for vertical motions in foreland basins and peripheral areas
Perrin, M. *see* Prévot, M.
Petronotis, K.E., Gordon, R.G., Acton, G.D., Determining palaeomagnetic poles and anomalous skewness from marine magnetic anomaly skewness data from a single plate, **109,** 209
Philip, H. *see* Rebaï, S.
Philip, H., Rogozhin, E., Cisternas, A., Bousquet, J.C., Borisov, B., Karakhanian, A., The Armenian earthquake of 1988 December 7: faulting and folding, neotectonics and palaeoseismicity, **110,** 141
Pinheiro, L.M., Whitmarsh, R.B., Miles, P.R., The ocean–continent boundary off the western continental margin of Iberia—II. Crustal structure in the Tagus Abyssal Plain, **109,** 106
Podladchikov, Y. *see* Poliakov, Y.
Poliakov, A., Podladchikov, Y., Diapirism and topography, **109,** 553
Pollitz, F.F., Propagation of surface waves on a laterally heterogeneous earth: asymptotic solution of the two-dimensional wave equation, **111,** 67
Popandopulo, G.A. *see* Eneva, M.
Posadas, A.M. *see* De Miguel, F.
Pous, J. *see* Marcuello-Pascual, A.
Prasad, A.S.S.S.R.S. *see* Kaila, K.L.
Pratt, R.G. *see* Chapman, C.H.
Pratt, R.G., Chapman, C.H., Traveltime tomography in anisotropic media—II. Application, **109,** 20
Preisig, J.R, Polar motion, atmospheric angular momentum excitation and earthquakes—correlations and significance, **108,** 161
Prévot, M., Perrin, M., Intensity of the Earth's magnetic field since Precambrian from Thellier-type palaeointensity data and inferences on the thermal history of the core, **108,** 613
Price, S. *see* Taymaz, T.
Pšenčík, I. *see* Jech, J.
Pujades, L. *see* Badal, J.

Qian, W., Boerner, D. E., Using a causal dispersion relation to estimate phase from magnitude for controlled-source electromagnetic field measurements, **111,** 203
Qian, W., Pedersen, L.B., Near-surface distortion effects on controlled source magnetotelluric transfer functions, **108,** 833

Rani, S., Singh, S.J., Static deformation of a uniform half-space due to a long dip–slip fault, **109,** 469
Reamer, S.K., Hinzen, K-G., Stump, B.W., Near-source characterization of the seismic wavefield radiated from quarry blasts, **110,** 435
Rebaï, S., Philip, H., Taboada, A., Modern tectonic stress field in the Mediterranean region: evidence for variation in stress directions at different scales, **110,** 106
Reddy, P.R. *see* Kaila, K.L.

Reilly, W.I., Fredrich,G., Hein, G.W., Landau, H., Almazán, J.L., Caturla, J.L., Geodetic determination of crustal deformation across the Strait of Gibraltar, **111,** 391
Rekdal, T., Doornbos, D.J., The times and amplitudes of core phases for a variable core–mantle boundary layer, **108,** 546
Reston, T.J. *see* Barnes, A.E.
Reuschlé, T., Trotignon, L., Gueguen, Y., Corrigendum to 'Pore shape evolution by solution transfer: thermodynamics and mechanics', **108,** 692
Ribe, N.M., The dynamics of thin shells with variable viscosity and the origin of toroidal flow in the mantle, **110,** 537
Ricard, Y. *see* Spada, G.
Richter, C., Particle motion and the modelling of strain response in magnetic fabrics, **110,** 451
Ringdal, F., Kværna, T., Continuous seismic threshold monitoring, **111,** 505
Ringdal, F., Marshall, P.D., Alewine, R.W., Seismic yield determination of Soviet underground nuclear explosions at the Shagan River test site, **109,** 65
Rivera, L. *see* Dorbath, L.
Rochester, M.G. *see* Crossley, D.J.
Rochette, P., Ménard, G., Dunn, R., Thermochronometry and cooling rates deduced from single sample records of successive magnetic polarities during uplift of metamorphic rocks in the Alps (France), **108,** 491
Rodda, P. *see* Inokuchi, H.
Roest, W.R. *see* Srivastava, S.P.
Roest, W.R., Arkani-Hamed, J., Verhoef, J., The seafloor spreading rate dependence of the anomalous skewness of marine magnetic anomalies, **109,** 653
Rogozhin, E. *see* Philip, H.
Roth, M. *see* Müller, G.
Rummel, R., van Gelderen, M., Spectral analysis of the full gravity tensor, **111,** 159
Rydelek, P.A., Sacks, I.S., Scarpa, R., On tidal triggering of earthquakes at Campi Flegrei, Italy, **109,** 125

Sabadini, R. *see* Spada, G.
Sacks, I.S. *see* Rydelek, P.A.
Sambridge, M. *see* Gallagher, K.; Snieder, R.
Sambridge, M., Drijkoningen, G., Genetic algorithms in seismic waveform inversion, **109,** 323
Sandwell, D.T., Antarctic marine gravity field from high-density satellite altimetry, **109,** 437
Sato, H. *see* Fehler, M.
Sato, K. *see* Smylie, D.E.
Sato, T., Matsu'ura, M., Cyclic crustal movement, steady uplift of marine terraces, and evolution of the island arc-trench system in southwest Japan, **111,** 617
Scarpa, R. *see* Rydelek, P.A.
Schlapp, D.M. *see* Butcher, E.C.
Schultz, A. *see* Zhang, T.S.
Sekiguchi, S., Amplitude distribution of seismic waves for laterally heterogeneous structures including a subducting slab, **111,** 448
Sen, M.K., Stoffa, P.L., Rapid sampling of model space using genetic algorithms: examples from seismic waveform inversion, **108,** 281
Senos, M.L. *see* Soloviev, S.L.
Serón, F.J. *see* Badal, J.
Shapiro, S.A., Elastic waves scattering and radiation by fractal inhomogeneity of a medium, **110,** 591
Shaw, J. *see* Liu, X.
Shearer, P.M. *see* Aster, R.C.
Sheehan, A.F. *see* Douglas, A.
Shennan, I., Woodworth, P.L., A comparison of late Holocene and twentieth-century sea-level trends from the UK and North Sea region, **109,** 96
Shkoller, B. *see* McLaughlin K.L.
Šílený, J., Panza, G.F., Campus, P., Waveform inversion for point source moment tensor retrieval with variable hypocentral depth and structural model, **109,** 259
Singh, S.J. *see* Rani, S.
Sjöberg, L.E. *see* Nord, T.
Skordas, E., Kulhánek, O., Spatial and temporal variations of Fennoscandian seismicity, **111,** 577
Smethurst, M.A., Khramov, A.N., A new Devonian palaeomagnetic pole for the Russian platform and Baltica, and related apparent polar wander, **108,** 179
Smith, R.B. *see* Zelt, C.A.
Smriglio, G. *see* Console, R.
Smylie, D.E., Jiang, X., Brennan, B.J., Sato, K., Numerical calculation of modes of oscillation of the Earth's core, **108,** 465
Sneider, R. *see* Neele, F.
Snieder, R., Sambridge, M., Ray perturbation theory for traveltimes and ray paths in 3-D heterogeneous media, **109,** 294
Soloviev, S.L., Kuzin, I.P., Kovachev, S.A., Moreira, V.S., Senos, M.L., Cruz, J.F., Some results of the short-time ocean bottom seismological observations in the central part of the Azores–Gibraltar fault, **110,** 392
Spada, G., Sabadini, R., Yuen, D.A., Ricard, Y., Effects on post-glacial rebound from the hard rheology in the transition zone, **109,** 683
Srivastava, S.P., Roest, W.R., King's Trough: reactivated pseudo-fault of a propagating rift, **108,** 143
Stange, S., Friederich, W., Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at a cylindrical inclusion, **111,** 470
Stange, S., Friederich, W., Guided wave propagation across sharp lateral heterogeneities: the complete wavefield at plane vertical discontinuities, **109,** 183
Stark, P.B., Minimax confidence intervals in geomagnetism, **108,** 329
Stead, R. *see* Helmberger, D.
Stevens, J.L. *see* McLaughlin K.L.
Stewart, D.N., Whaler, K.A.. Geomagnetic disturbance fields: an analysis of observatory monthly means, **108,** 215
Stewart, R.C. *see* Douglas, A.
Stoffa, P.L. *see* Sen, M.K.
Strack, K.-M. *see* Hördt, A.
Stump, B.W. *see* Reamer, S.K.
Sturt, B.A. *see* Torsvik, T.H.
Sucksdorff, C. *see* Papitashvili, N.E.
Sun, R., McMechan, G.A., 2-D full-wavefield inversion for wide-aperture, elastic, seismic data, **111,** 1
Sun, W.W. *see* Kodama, K.P.
Swensson, E. *see* Torsvik, T.H.
Szarka, L. *see* Fischer, G.

Tabbagh, A. *see* Dabas, M.
Taboada, A. *see* Rebaï, S.
Tamaki, K. *see* Nakanishi, M.
Tapley, B.D. *see* Cheng, M.K.
Tatevossian, R. *see* Dorbath, L.
Tawn, J.A. *see* Dixon, M.J.
Taymaz, T., Jackson, J., McKenzie, D., Reply to the comment by R. Westaway on 'Active tectonics of the north and central Aegean Sea' by T. Taymaz, J. Jackson and D. P. MacKenzie, **110,** 623
Taymaz, T., Observations on source time functions of earthquakes obtained from inversion of teleseismic body waveforms, **108,** 273
Taymaz, T., Price, S., The 1971 May 12 Burdur earthquake sequence, SW Turkey: a synthesis of seismological and geological observations, **108,** 589
Tessmer, E., Kosloff, D., Behle, A., Elastic wave propagation simulation in the presence of surface topography, **108,** 621
Thompson, C.J. *see* Guest, W.S.
Thomson, C.J. *see* Guest, W.S.; Kendall, J-M.
Thomson, C.J., Kendall, J-M., Guest, W.S., Geometrical theory of shear-wave splitting: corrections to ray theory for interference in isotropic/anisotropic transitions, **108,** 339
Tongue, J.A., Tomographic study of local earthquake data from the Lake Bogoria region of the Kenya Rift Valley, **109,** 249
Torsvik, T.H. *see* Trench, A.
Torsvik, T.H., Sturt, B.A., Swensson, E., Andersen, T.B., Dewey, J.F., Palaeomagnetic dating of fault rocks: evidence for Permian and Mesozoic movements and brittle deformation along the extensional Dalsfjord Fault, western Norway, **109,** 565
Traynor, J.-J. *see* Trench, A.
Trench, A., Torsvik, T.H., Dentith, M.C., Walderhaug, H., Traynor, J.-J., A high southerly palaeolatitude for Southern Britain in Early Ordovician times: palaeomagnetic data from the Treffgarne Volcanic Formation SW Wales, **108,** 89

Tromp, J., Dahlen, F.A., Variational principles for surface wave propagation on a laterally heterogeneous Earth—I. Time domain JWKB theory, **109,** 581
Tromp, J., Dahlen, F.A., Variational principles for surface wave propagation on a laterally heterogeneous Earth—II. Frequency-domain JWKB theory, **109,** 599
Trotignon, L. *see* Reuschlé, T.
Truffert, C. *see* de Voogd, B.
Trupin, A.S., Meier, M.F., Wahr, J.M., Effect of melting glaciers on the Earth's rotation and gravitational field: 1964–1984, **108,** 1
Tsapanos, T.M., Considerations on the global seismic sequences: the second and the third largest aftershocks, **111,** 630
Tsunakawa, H., Bayesian approach to smoothing palaeomagnetic data using ABIC, **108,** 801
Turcotte, D.L. *see* Huang, J.
Turcotte, D.L *see* Narkounskaia, G.

Um, J., Dahlen, F.A., Normal mode multiplet coupling on an aspherical anelastic earth, **111,** 11
Usher, M.J. *see* Mat-Isa, A.R.

van den Berg, P.M. *see* Fokkema, J.T.
van Gelderen, M. *see* Rummel, R.
van Velzen, A.J., Zijderveld, J.D.A., A method to study alterations of magnetic minerals during thermal demagnetization applied to a fine-grained marine marl (Trubi formation, Sicily), **110,** 79
Vavryčuk, V., Polarization properties of near-field waves in homogeneous isotropic and anisotropic media: numerical modelling, **110,** 180
Venkateswarlu, N. *see* Kaila, K.L.
Verhoef, J. *see* Roest, W.R.
Vidal, F. *see* De Miguel, F.
Vinnik, L.P., Makeyeva, L.I., Milev, A., Yu Usenko, A., Global patterns of azimuthal anisotropy and deformations in the continental mantle, **111,** 433
Virieux, J. *see* Jin, S.
Vo-Thanh, D., Effect of temperature and fluid viscosity on the ultrasonic velocities in Lavoux calcite rock, **110,** 614
Vozoff, K. *see* Hördt, A.

Wagner, G.S., Langston, C.A., A numerical investigation of scattering effects for teleseismic plane wave propagation in a heterogeneous layer over a homogeneous half-space, **110,** 486
Wahlström,R. *see* Arvidsson, R.
Wahr, J. *see* Hulot, G.
Wahr, J.M. *see* Trupin, A.S.
Walderhaug, H. *see* Trench, A.
Walderhaug, H., Directional properties of alteration CRM in basic igneous rocks, **111,** 335
Wang, K., Davis, E.E., Thermal effects of marine sedimentation in hydrothermally active areas, **110,** 70
Wangen, M., Pressure and temperature evolution in sedimentary basins, **110,** 601
Watson, G.S., Debiche, M.G., Testing whether two Fisher distributions have the same centre, **109,** 225
Weaver, J.T. *see* Fischer, G.
Weaver, J.T., Dawson, T.W., Adjustment distance in TM mode electromagnetic induction, **108,** 293
Weber, M. *see* Krüger, F.
Weinstein, S.A. *see* King, S.D.
Weinstein, S.A., Olson, P.L., Thermal convection with non-Newtonian plates, **111,** 515
Wepfer, W. *see* Goldberg, D.
Westaway, R., Comment on 'Active tectonics of the north and central Aegean sea' by T. Taymaz, J. Jackson and D. P. McKenzie, **110,** 619
Westaway, R., Revised hypocentre and fault rupture geometry for the 1980 November 23 Campania–Basilicata earthquake in southern Italy, **109,** 376
Whaler, K.A. *see* Stewart, D.N.
Whitmarsh, R.B. *see* Pinheiro, L.M.
Widmer, R., Masters, G., Gilbert, F., Observably split multiplets—data analysis and interpretation in terms of large-scale aspherical structure, **111,** 559
Widmer, R., Zürn, W., Masters, G., Observation of low-order toroidal modes from the 1989 Macquarie Rise event, **111,** 226
Williams, W., Hoffmann, V., Heider, F., Göddenhenrich, T., Heiden, C., Magnetic force microscopy imaging of domain walls in magnetite, **111,** 417
Wolfgram, P.A. *see* Hördt, A.
Won, J.S., Moon, W.M., Inversion of synthetic aperture radar data for surface scattering, **108,** 423
Woodcock, N.H. *see* Channell, J.E.T.
Woodward, R.L., Masters, G., Upper mantle structure from long-period differential traveltimes and free oscillation data, **109,** 275
Woodworth, P.L. *see* Shennan, I.
Wu, P., Deformation of an incompressible viscoelastic flat earth with power-law creep: a finite element approach, **108,** 35
Wu, P., Viscoelastic versus viscous deformation and the advection of pre-stress, **108,** 136
Wyss, M., Habermann, R.E., Bodin, P., Seismic quiescence: a test of the hypothesis and a precursor to the next Parkfield, California, earthquake, **110,** 518

Xu, P., A quality investigation of global vertical datum connection, **110,** 361
Xu, P., Determination of surface gravity anomalies using gradiometric observables, **110,** 321
Xu, P., The value of minimum norm estimation of geopotential fields, **111,** 170

Yabuki, T., Matsu'ura, M., Geodetic data inversion using a Bayesian information criterion for spatial distribution of fault slip, **109,** 363
Yaskawa, K. *see* Inokuchi, H.
Yoshida, S. *see* Oura, A.
Yu, L., Edwards, R.N., Algorithms for the computation of the electromagnetic response of a multilayered, laterally anisotropic sea floor to arbitrary finite sources, **111,** 185
Yu, L., Edwards, R.N., The detection of lateral anisotropy of the ocean floor by electromagnetic methods, **108,** 433
Yu Usenko, A. *see* Vinnik, L.P.
Yu, Y. *see* Park, J.
Yuan, B. *see* Liu, X.
Yuen, D.A. *see* Spada, G.

Zelt, C.A., Smith, R.B., Seismic traveltime inversion for 2-D crustal velocity structure, **108,** 16
Zhang, A.J., Hobbs, B.A., Model formulation and model smoothing for 2-D magnetotelluric inversion, **108,** 507
Zhang, K., Gubbins, D., On convection in the earth's core driven by lateral temperature variations in the lower mantle, **108,** 247
Zhang, T.S., Schultz, A., A 3-D perturbation solution for the EM induction problem in a spherical earth—the forward problem, **111,** 319
Zhou, B. *see* Pant, D.R.
Zijderveld, J.D.A. *see* van Velzen, A.J.
Zobin, V.M., Ivanova, E.I., Aftershocks of shallow earthquakes near Kamchatka Peninsula, **108,** 749
Zollo, A. *see* de Chabalier, J.B.
Zürn, W. *see* Widmer, R.